

## REFERENCES

For references identified in the review, we include their quality ratings (H = high quality, M = medium quality, L = low quality). Full justifications for the quality ratings are given in Table S1 (see Appendix).

- Adlam, T., Faulkner, R., Orpwood, R., Jones, K., Macijauskienė, J., & Budraitienė, A. (2004). The installation and support of internationally distributed equipment for people with dementia. *IEEE Transactions on Information Technology in Biomedicine*, 8(3), 253–257. (L).
- Al-Oraibi, S. A., Fordham, R. C., & Lambert, R. L. (2012). Impact and economic assessment of assistive technology in care homes in Norfolk. *UK Journal of Assistive Technologies*, 6(3), 192–201. (M).
- Algase, D. L., Beattie, E. R. A., Antonakos, C., Beel-Bates, C. A., & Yao, L. (2010). Wandering and the physical environment. *American Journal of Alzheimer's Disease & Other Dementias*, 25(4), 340–346. (H).
- Aloulou, H. A., Mokhtari, M. M., Tiberghien, T. T., Biswas, J. B., Phua, C. P., Kenneth Lin, K. L. J. H., & Yap, P. Y. (2013). Deployment of assistive living technology in a nursing home environment: Methods and lessons learned. *BMC Medical Informatics and Decision Making*, 13(42), 1–17. (M).
- Amella, E. J., & Batchelor-Aselage, M. B. (2014). Facilitating ADLs by caregivers of persons with dementia: The C3P model. *Occupational Therapy in Health Care*, 28(1), 51–61. (M).

- Aminzadeha, F., Molnara, F. J., Dalzielb, W. B., & Garciac, L. J. (2013). An exploration of adjustment needs and efforts of persons with dementia after relocation to a residential care facility. *Journal of Housing For the Elderly*, 27(1–2), 221–240. (H).
- Ancoli-Israel, S., Gehrman, P., Martin, J. L., Shochat, T., Marler, M., Corey-Bloom, J., & Levi, L. (2003). Increased light exposure consolidates sleep and strengthens circadian rhythms in severe Alzheimer's disease patients. *Behavioral Sleep Medicine*, 1(1), 22–36. (M).
- Ancoli-Israel, S., Martin, J. L., Kripke, D. F., Marler, M., & Klauber, M. R. (2002). Effect of light treatment on sleep and circadian rhythms in demented nursing home patients. *Journal of the American Geriatrics Society*, 50, 282–289. (M).
- Anderson, K. A., Bird, M. B., MacPherson, S. M., McDonough, V. M., & Davis, T. D. (2011). Findings from a pilot investigation of the effectiveness of a snoezelen room in residential care: Should we be engaging with our residents more? *Geriatric Nursing (New York, N.Y.)*, 32(3), 166–177. (M).
- Andrews, C. (2000). Happy eaters. *Nursing Times*, 96(50), 6. (L).
- Annerstedt, L. (1994). An attempt to determine the impact of group living care in comparison to traditional long-term care on demented elderly patients. *Aging (Milan, Italy)*, 6(5), 372–380. (H).
- Annerstedt, L. A. (1993). Development and consequences of group living in Sweden: A new mode of care for the demented elderly. *Social Science & Medicine*, 37(12), 1529–1538. (M).
- Bakker, R. (2003). Sensory Loss, Dementia, and Environments. *Generations*, 27(1), 46–51. (M).
- Barnes, S. (2006). Space, choice and control, and quality of life in care settings for older people. *Environment and Behaviour*, 38(5), 589–604. (M).
- Barrick, A. L., Sloan, P. B., Williams, C. S., Mitchell, M., Rose, B., Wood, W., & Hickman, S. E. (2012). Impact of ambient bright light

- on agitation in dementia. *International Journal of Geriatric Psychiatry*, 25, 1013–1021. (H).
- Bassuk, K. (1999). NORC supportive service programs: Effective and innovative programs that support seniors living in the community. *Care Management Journals*, 1(2), 132–137. (L).
- Beckwith, M. E., & Gilster, S. D. (1997). The paradise garden: A model garden design for those with Alzheimer's disease. *Activities, Adaptations and Aging*, 22(1/2), 3–16. (L).
- Benbow, B. (2012). Advantages of small house designs in dementia care. *Canadian Nursing Home*, 23(1), 4–12. (L).
- Bianchetti, A., Benvenuti, P., Ghisla, K. M., Frisoni, G. B., & Trabucchi, M. (1997). An Italian model of dementia special care unit: Results of a pilot study. *Alzheimer's Disease and Associated Disorders*, 11(1), 53–56. (L).
- Blackman, T., van Schaik, P., & Martyr, A. (2007). Outdoor environments for people with dementia: an exploratory study using virtual reality. *Ageing and Society*, 27(6), 811–825. (H).
- Boger, J., Craig, T., & Mihalidis, A. (2013). Examining the impact of familiarity on faucet usability for older adults with dementia. *BMC Geriatrics*, 13, 63. (M).
- Bowes, A., Dawson, A., & Greasley-Adams, C. (2013, October). Literature review: the cost effectiveness of assistive technology in supporting people with dementia, Report to the Dementia Services Development Trust. Retrieved from [http://dementia.stir.ac.uk/system/files/filedepot/19/the\\_cost\\_effectiveness\\_of\\_assistive\\_technology\\_in\\_supporting\\_people\\_with\\_dementia\\_october\\_13.pdf](http://dementia.stir.ac.uk/system/files/filedepot/19/the_cost_effectiveness_of_assistive_technology_in_supporting_people_with_dementia_october_13.pdf). Accessed on October 3, 2018.
- Bowes, A., Dawson, A., Greasley-Adams, C., & McCabe, L. (2016). Design of residential environments for people with dementia and sight loss: a structured literature review. *British Journal of Visual Impairment*, 34(3), 225–237.

- Bowes, A., Dawson, A., Jepson, R., & McCabe, L. (2013). Physical activity for people with dementia: a scoping study. *BMC Geriatrics*, 13, 129. doi:10.1186/10.1186/1471-2318-13-129.
- Brittain, K., Corner, L., Robinson, L., & Bond, J. (2010). Ageing in place and technologies of place: the lived experience of people with dementia in changing social, physical and technological environments. *Sociology of Health and Illness*, 32(2), 272–287. (M).
- Bruce, C., Brush, J. A., Sanford, J. A., & Calkins, M. P. (2013). Development and evaluation of the environment and communication assessment toolkit with speech-language pathologists. *Seminars in Speech and Language*, 34, 42–52. (L).
- Burke, T. J. (2003). Significance of tonal contrast in dementia accommodation. *Geriaction*, 21(3), 11–15. (M).
- Burton, E., & Sheehan, B. (2010). Care-home environments and well-being: Identifying the design features that most affect older residents. *Journal of Architectural and Planning Research*, 27(3), 237–256. (M).
- Caffo, A. O., Hoogeveen, F., Groenendaal, M., Perilli, V. A., Damen, M., Stasolla, F., ... Bosco, A. (2014). Comparing two different orientation strategies for promoting indoor traveling in people with Alzheimer's disease. *Research in Developmental Disabilities*, 35, 572–580. (M).
- Carrier, N., West, G. E., & Ouellet, D. (2009). Dining experience, foodservices and staffing are associated with quality of life in elderly nursing home residents. *The Journal of Nutrition, Health & Aging*, 13(6), 565–570. (H).
- Casas, R., Marco, Á., Falcó, J. L., Artigas, J. I., & Abascal, J. (2006). Ethically aware design of a location system for people with dementia. *Lecture Notes in Computer Science*, 4061, 777–784. (L).

- Caspi, E. (2014). Wayfinding difficulties among elders with dementia in an assisted living residence. *Dementia, 13*(4), 429–450. (M).
- Chang, C. H., Lu, M. S., Lin, T. E., & Chen, C. H. (2013). The effectiveness of visual art on environment in nursing home. *Journal of Nursing Scholarship, 45*(2), 107–115. (M).
- Chang, Y. J., Chen, C. H., Lin, L. F., Han, R. P., Huang, W. T., & Lee, G. C. (2012). Wireless sensor networks for vital signs monitoring: Application in a nursing home. *International Journal of Distributed Sensor Networks*. doi:10.1155/2012/685107. (M).
- Chang, Y. J., Peng, S. M., Wang, T. Y., Chen, S. F., Chen, Y. R., & Chen, H. C. (2010). Autonomous indoor wayfinding for individuals with cognitive impairments. *Journal of Neuroengineering and Rehabilitation, 7*(1), 45. doi:10.1186/1743-0003-7-45. (L).
- Chaplin, A. (2011). Holistic care and environmental design: the future for dementia care. *Housing, Care and Support, 14*(3), 91–97. (L).
- Charlon, Y., Fourty, N., Bourennane, W., & Campo, E. (2013). Design and evaluation of a device worn for fall detection and localization: Application for the continuous monitoring of risks incurred by dependents in an Alzheimer's care unit. *Expert Systems with Applications, 40*(18), 7316–7330. (M).
- Chen, J., Kam, A. H., Zhang, J., Liu, N., & Shue, L. (2005). Bathroom activity monitoring based on sound. *Lecture Notes in Computer Science, 34*(68), 47–61. (L).
- Cheng, H. T., & Zhuang, W. (2010). Bluetooth-enabled in-home patient monitoring system: Early detection of Alzheimer's disease. *Wireless Communication, 17*(1), 74–79. (L).
- Chenoweth, L., Forbes, I., Fleming, R., King, M. T., Stein-Parbury, J., Luscombe, G., ... Brodaty, H. (2014). PerCEN: A cluster randomized controlled trial of person-centered residential care and

- environment for people with dementia. *International Psychogeriatrics*, 26(7), 1147–1160. (H).
- Cleary, S. (2009). Using environmental interventions to facilitate eating and swallowing in residents with dementia. *Canadian Nursing Home*, 20(2), 5–12. (L).
- Cohen-Mansfield, J., Thein, K., Marx, M. S., Dakheel-Ali, M., Murad, H., & Freedman, L. S. (2012). The relationships of environment and personal characteristics to agitated behaviors in nursing home residents with dementia. *Journal of Clinical Psychiatry*, 73(3), 392–399. (M).
- Cohen-Mansfield, J., & Werner, P. (1998). The effects of an enhanced environment on nursing home residents who pace. *The Gerontologist*, 38(2), 199–208. (M).
- Cohen-Mansfield, J., Werner, P., & Marx, M. S. (1990). The spatial distribution of agitation in agitated nursing home residents. *Environment and Behaviour*, 22(3), 408–419. (M).
- Colombo, M., Vitali, S., Molla, G., Gioia, P., & Milani, M. (1998). The home environment modification program in the care of demented elderly: Some examples. *Archives of Gerontology and Geriatrics*, 26(1), 83–90. (L).
- Cox, H., Burns, I., & Savage, S. (2004). Multisensory environments for leisure: Promoting well-being in nursing home residents with dementia. *Journal of Gerontological Nursing*, 30(2), 37–45. (M).
- Critical Appraisal Skills Programme (CASP). (2013). CASP checklists. Retrieved from <http://www.casp-uk.net/casp-tools-checklists>. Accessed on October 3, 2018.
- Danes, S. (2012). Design for dementia care: A retrospective look at the Woodside Place model. *Journal of Housing for the Elderly*, 26, 221–250. (L).
- Dawson, A., Bowes, A., Kelly, F., Velzke, K., & Ward, R. (2015). Evidence of what works to support and sustain care at home for

- people with dementia: A literature review with a systematic approach. *BMC Geriatrics*, 15, 59. doi:10.1186/s12877-015-0053-9.
- Detweiler, M. B., Murphy, P. F., Kim, K. Y., Myers, L. C., & Ashai, A. (2009). Scheduled medications and falls in dementia patients utilizing a wander garden. *American Journal of Alzheimer's Disease & Other Dementias*, 24(4), 322–332. (H).
- Detweiler, M. B., Murphy, P. F., Myers, L. C., & Kim, K. Y. (2008). Does a wander garden influence inappropriate behaviors in dementia residents? *American Journal of Alzheimer's Disease & Other Dementias*, 23(1), 31–45. (H).
- Dickinson, J. I., McLain-Kark, J., & Marshall-Baker, A. (1995). The effects of visual barriers on exiting behavior in a dementia care unit. *The Gerontologist*, 35(1), 127–131. (M).
- Digby, R., & Bloomer, M. J. (2014). People with dementia and the hospital environment: The view of patients and family carers. *International Journal of Older People Nursing*, 9, 34–43. (M).
- Duffy, S., Mallory, L., Gordon, J., & Carver, D. (2005). Ability of hospitalized older adults to use their call bell: A pilot study in a tertiary care teaching hospital. *Aging Clinical and Experimental Research*, 17(5), 390–393. (M).
- Duggan, S. D., Blackman, T. B., Martyr, A. M., & Van Schaik, P. V. S. (2008). The impact of early dementia on outdoor life: A ‘shrinking world’? *Dementia*, 7(2), 191–204. (M).
- Edgerton, E. E., Ritchie, R. L., & McKechnie, J. M. (2010). Objective and subjective evaluation of a redesigned corridor environment in a psychiatric hospital. *Mental Health Nursing*, 31(5), 306–314. (M).
- Edwards, C. A., McDonnell, C., & Merl, H. (2012). An evaluation of a therapeutic garden’s influence on the quality of life of aged care residents with dementia. *Dementia*, 12(4), 494–510. (M).

- Edwards, E. N., & Beck, M. A. (2013). The influence of aquariums on weight in individuals with dementia. *Alzheimer's Disease and Associated Disorders*, 27(4), 379–383. (L).
- Edwards, N. E., Beck, A. M., & Lim, E. (2014). Influence of aquariums on resident behavior and staff satisfaction in dementia units. *Western Journal of Nursing Research*, 36(10), 1309–1322. (H).
- Effective Practice and Organisation of Care (EPOC). (2015). *EPOC resources for review authors*. Oslo: Norwegian Knowledge Centre for the Health Services. Retrieved from <http://epoc.cochrane.org/resources>. Accessed on October 3, 2018.
- Engstrom, M., Lindqvist, R., Ljunggren, B., & Carlsson, M. (2009). Staff members' perceptions of a ICT support package in dementia care during the process of implementation. *Journal of Nursing Management*, 17, 781–789. (H).
- Falk, H., Wijk, H., & Persson, L. (2009). The effects of refurbishment on residents' quality of life and wellbeing in two Swedish residential care facilities. *Health & Place*, 15, 717–724. (M).
- Farrelly, R. (2014). Dementia-friendly clinical areas. *British Journal of Nursing*, 23(12), 695. (H).
- Ferdous, F., & Moore, K. D. (2014). Field observations into the environmental soul: Spatial configuration and social life for people experiencing dementia. *American Journal of Alzheimer's Disease & Other Dementias*, 30(2), 209–218. (M).
- Fleming, R., Crookes, P., & Sum, S. (2009). A review of the empirical literature on the design of physical environments for people with dementia, Part 3 of the Dementia Design Audit Tool. Stirling: Dementia Services Development Centre.
- Fleming, R., Fay, R., & Robinson, A. (2012). Evidence-based facilities design in health care: A study of aged care facilities in Australia. *Health Services Management Research*, 25(3), 121–128. (M).

- Fleming, R., Goodenough, B., Low, L., Chenoweth, L., & Brodaty, H. (2016). The relationship between the quality of the built environment and the quality of life of people with dementia in residential care. *Dementia, 15*(4), 663–680. (M).
- Fleming, R., & Purandare, N. (2010). Long-term care for people with dementia: Environmental design guidelines. *International Psychogeriatrics, 22*(7), 1084–1096.
- Garcia, L. J., Hebert, M., Kozak, J., Senecal, I., Slaughter, S. E., Aminzadeh, F., ... Eliaziw, M. (2012). Perceptions of family and staff on the role of the environment in long-term care homes for people with dementia. *International Psychogeriatrics, 24*(5), 753–765. (M).
- Garre-Olmo, J., López-Pousa, S., Turon-Estrada, A., Juvinyà, D., Ballester, D., & Vilalta-Franch, J. (2012). Environmental determinants of quality of life in nursing home residents with severe dementia. *Journal of the American Geriatrics Society, 60*(7), 1230–1236. (H).
- Gasio, P. F., Krauchi, K., Cajochen, C., van Someren, E., Amrhein, I., Pache, M., ... Wirz-Justice, A. (2003). Dawn-dusk simulation light therapy of disturbed circadian rest-activity cycles in demented elderly. *Experimental Gerontology, 38*, 207–216. (M).
- Gitlin, L. N., & Corcoran, M. A. (1996). Managing dementia at home: The role of home environmental modifications. *Topics in Geriatric Rehabilitation, 12*(2), 28–39. (M).
- Gitlin, L. N., Corcoran, M., Winter, L., Boyce, A., & Hauck, W. W. (2001). A randomized, controlled trial of a home environmental intervention: effect on efficacy and upset in caregivers and on daily function of persons with dementia. *The Gerontologist, 41*(1), 4–14. (H).
- Gitlin, L. N., Winter, L., & Dennis, M. P. (2010). Assistive devices caregivers use and find helpful to manage problem behaviors of dementia. *Gerontechnology, 9*(3), 408–414. (M).

- Gnaedinger, N., Robinson, J., Sudbury, F., & Dutchak, M. (2006). Renovating the built environment for dementia care: lessons learned at the Lodge at Broadmead in Victoria, British Columbia. *Healthcare quarterly (Toronto, Ont.)*, 10(1), 76–80. (M).
- Goto, S., Kamal, N., Puzio, H., & Kobylarz, F. (2014). Differential responses of individuals with late-stage dementia to two novel environments: A multimedia room and an interior garden. *Journal of Alzheimer's Disease : JAD*, 42(3), 985–998. (M).
- Gould, E., & Basta, P. (2013). Home is where the heart is – for people in all stages of dementia. *Generations*, 37(3), 74–78. (M).
- Greasley-Adams, C., Bowes, A., Dawson, A., & McCabe, L. (2014). *Good practice in the design of homes and living spaces for people with dementia and sight loss*. Stirling: University of Stirling. 31pp.
- Gross, J., Harmon, M. E., Myers, R. A., Evans, R. L., Kay, N. R., Rodriguez-Charbonnier, S., & Herzog, T. R. (2004). Recognition of self among persons with dementia. *Environment and Behaviour*, 36(3), 424–454. (M).
- Heath, Y. (2004). Evaluating the effect of therapeutic gardens. *American Journal of Alzheimer's Disease & Other Dementias*, 19(4), 239–242. (L).
- Heggestad, A. K. T., Nortvedt, P., & Slettebø, A. (2013). ‘Like a prison without bars’: Dementia and experiences of dignity. *Nursing Ethics*, 20(8), 881–892. (M).
- Hernandez, R. O. (2007). Effects of therapeutic gardens in special care units for people with dementia: Two case studies. *Journal of Housing for the Elderly*, 21(1–2), 117–152. (H).
- Hewawasam, L. C. (1996). The use of two-dimensional grid patterns to limit hazardous ambulation in elderly patients with Alzheimer’s disease. *Nursing Times Research*, 1(2), 217–227.
- Huh, T. J., Areán, P. A., Bornfeld, H., & Elite-Marcandonatou, A. (2008). The effectiveness of an environmental and behavioral approach to treat behavior problems in a patient with Dementia

- with Lewy Bodies: A case study. *Annals of Long-term Care*, 16(11), 17–21. (L).
- Hung, L., Loewen, E., Bindley, B., McLaren, D., Feist, T., & Phinney, A. (2014). The impact of an acute psychiatry environment on older patients and their families. *Journal of Gerontological Nursing*, 40(9), 50–56. (M).
- Hutchings, D., Wells, J. J. L., O'Brien, K., Wells, C., Alteen, A. M., & Cake, L. J. (2011). From institution to 'home': Family perspectives on a unique relocation process. *Canadian Journal on Aging*, 30(2), 223–232. (M).
- Hwang, Y. R. (2014). Influence of building materials with directional textures on the visual perceptions of elderly with Alzheimer's disease. *International Journal of Gerontology*, 8, 147–151. (M).
- Innes, A., Kelly, F., & Dincarslan, O. (2011). Care home design for people with dementia: What do people with dementia and their family carers value? *Aging & Mental Health*, 15(5), 548–556. (M).
- Jensen, L. (1997). Housing for elderly people suffering from dementia. *Assistive Technology Research Series*, 3, 130–133. (L).
- Johansson, K., Lundberg, S., & Borell, L. (2011). 'The cognitive kitchen' – Key principles and suggestions for design that includes older adults with cognitive impairments as kitchen users. *Technology Disability*, 23, 29–40. (M).
- Joosse, L. L. (2012). Do sound levels and space contribute to agitation in nursing home residents with dementia. *Research in Gerontological Nursing*, 5(3), 174–184. (M).
- Kincaid, C. K., & Peacock, J. R. P. (2003). The effect of a wall mural on decreasing four types of door-testing behaviors. *Journal of Applied Gerontology*, 22(1), 76–88. (M).
- Kings Fund. (2013). Developing supportive design for people with dementia. London: Kings Fund. Retrieved from [https://www.kingsfund.org.uk/sites/files/kf/field/field\\_publication\\_file/developing-](https://www.kingsfund.org.uk/sites/files/kf/field/field_publication_file/developing-)

supportive-design-for-people-with-dementia-kingsfund-jan13\_0.pdf. Accessed on October 3, 2018.

Kittur, S. D., & Ruskin, P. (1999). Environmental modification for treatment of agitation in Alzheimer's patients. *Neuro Rehabilitation*, 12, 211–214. (L).

La Garce, M. (2004). Daylight interventions and Alzheimer's behaviors – a twelve-month study. *Journal of Architectural and Planning Research*, 21(3), 257–269. (H).

Lanze, C., Riepe, M. W., & Knorzer, O. (2014). Autonomous spatial orientation in patients with mild to moderate Alzheimer's disease by using mobile assistive devices: A pilot study. *Journal of Alzheimer's Disease: JAD*, 42(3), 879–884. (M).

Lee, Y. L., Yoon, H. Y., Lim, S. L., An, S. A., & Hwang, J. H. (2012). Housing alternatives to promote holistic health of the fragile aged. *Indoor and Built Environment*, 21(1), 191–204. (M).

Liou, C. L., & Jarrott, S. E. J. (2013). Taiwanese experiences: Elders with dementia in two different adult day service (ADS) environments. *Aging & Mental Health*, 17(8), 942–951. (M).

Lovering, M. J., Cott, C. A., & Wells, D. L. (2002). A secure garden in the care of people with Alzheimer's disease. *Journal on Aging*, 21(3), 417–428. (H).

Low, L. F. L., Draper, B. D., & Brodaty, H. B. (2004). The relationship between self-destructive behaviour and nursing home environment. *Aging & Mental Health*, 8(1), 29–33. (M).

Lyketsos, C. G., Sheppard, J. E., & Rabins, P. V. (2000). Dementia in elderly persons in a general hospital. *The American Journal of Psychiatry*, 157, 704–707.

Lyketsos, C. G., Veiel, L. L., Baker, A., & Steele, C. (1999). A randomized, controlled trial of bright light therapy for agitated behaviors in dementia patients residing in long-term care. *International Journal of Geriatric Psychiatry*, 14, 520–525. (M).

- Mäki, O., & Topo, P. (2009). User needs and user requirements of people with dementia: Multimedia application for entertainment. *Assistive Technology Research Series*, 24, 61–75. (M).
- Malinowsky, C., Almkvist, O., Nygård, L., & Kottorp, A. (2012). Individual variability and environmental characteristics influence older adults' abilities to manage everyday technology. *International Psychogeriatrics*, 24(3), 484–495. (M).
- Mann, W. C., Hurren, M. D., & Charvat, B. A. (1996). Changes over one year in assistive device use and home modifications by home-based older persons with Alzheimer's disease. *Topics in Geriatric Rehabilitation*, 12(2), 9–16. (M).
- Margot-Cattin, I., & Nygard, L. (2006). Access technology and dementia care: Influences on residents' everyday lives in a secure unit. *Scandinavian Journal of Occupational Therapy*, 13, 113–124. (H).
- Marquardt, G. (2011). Wayfinding for people with dementia: A review of the role of architectural design. *HERD: Health Environments Research & Design*, 4(2), 75–90. (M).
- Marquardt, G., Bueter, K., & Motzek, T. (2014). Impact of the design of the built environment on people with dementia: An evidence-based review. *HERD: Health Environments Research & Design*, 8(1), 127–157. (H).
- Marquardt, G., Johnston, D., Black, B. S., Morrison, A., Rosenblatt, A., Lyketsos, C. G., & Samus, Q. M. (2011). Association of the spatial layout of the home and ADL abilities among older adults with dementia. *American Journal of Alzheimer's Disease & Other Dementias*, 26(1), 51–57. (M).
- Marquardt, G., & Schmeig, P. (2009). Dementia-friendly architecture: Environments that facilitate wayfinding in nursing homes. *American Journal of Alzheimer's Disease & Other Dementias*, 24(4), 333–340. (M).

- Marsden, J. P., Meehan, R. A., & Calkins, M. P. (2001). Therapeutic kitchens for people with dementia. *American Journal of Alzheimer's Disease & Other Dementias*, 16(5), 303–311. (L).
- Martin, S., Augusto, J. C., McCullagh, P., Carswell, W., Zheng, H., Wang, H., & Mulvenna, M. (2013). Participatory research to design a novel telehealth system to support the night-time needs of people with dementia: NOCTURNAL. *International Journal of Environmental Research and Public Health*, 10(12), 6764–6782. (M).
- Martin, S., Kelly, G., Kernohan, W. G., McCreight, B., & Nugent, C. (2008). Smart home technologies for health and social care support. *Cochrane Database of Systematic Reviews*, (4), Article No. CD006412. (H).
- Martin, S., & Rankin, G. (2002). Using commercially available technology to assist in the delivery of person-centred health and social care. *Journal of Telemedicine and Telecare*, 8(2), 60–62. (L).
- Maseda, A., Sánchez, A., Marante, M. P., González-Abraldes, I., Buján, A., & Millán-Calenti, J. C. (2014). Effects of multisensory stimulation on a sample of institutionalized elderly people with dementia diagnosis: A controlled longitudinal trial. *American Journal of Alzheimer's Disease & Other Dementias*, 29(5), 463–473. (M).
- Maseda, A., Sánchez, A., Marante, M. P., González-Abraldes, I., de Labra, C., & Millán-Calenti, J. C. (2014). Multisensory stimulation on mood, behavior, and biomedical parameters in people with dementia: Is it more effective than conventional one-to-one stimulation? *American Journal of Alzheimer's Disease & Other Dementias*, 29(7), 637–647. (H).
- Mazzei, F., Gillan, R., & Cloutier, D. (2013). Exploring the influence of environment on the spatial behaviour of older adults in a purpose-built acute dementia care unit. *American Journal of Alzheimer's Disease & Other Dementias*, 29(4), 311–319. (M).

- McCabe, L., & Sim, D. (2006). Working in a 'dementia-friendly' office: Stirling University's Iris Murdoch Building. *Design Studies*, 27(5), 615–632. (M).
- Messecar, D. C., Archbold, P. G., Stewart, B. J., & Kirschling, J. (2002). Home environmental modification strategies used by caregivers of elders. *Research in Nursing & Health*, 25(5), 357–370. (M).
- Mihailidis, A., Boger, J. N., Craig, T., & Hoey, J. (2008). The COACH prompting system to assist older adults with dementia through handwashing: An efficacy study. *BMC Geriatrics*, 8, 28. doi:10.1186/1471-2318-8-28. (M).
- Milke, D. L., Beck, C. H. M., Danes, S., & Leask, J. (2001). Behavioral mapping of residents' activity in five residential style care centers for elderly persons diagnosed with dementia: Small differences in sites can affect behaviors. *Journal of Housing for the Elderly*, 23(4), 335–367. (H).
- Mitchell, L., & Burton, E. J. (2010). Designing dementia-friendly neighbourhoods: Helping people with dementia to get out and about. *Journal of Integrated Care*, 18(6), 11–18. (H).
- Mitchell, L., Burton, E., Raman, S., Blackman, T., Jenks, M., & Williams, K. (2003). Making the outside world dementia-friendly: Design issues and considerations. *Environment and Planning B*, 30(4), 605–632. (L).
- Mitchell, R. (1999). Commentary. *International Journal of Geriatric Psychiatry*, 14(2), 107–109.
- Mooney, P., & Nicell, P. L. (1992). The importance of exterior environment for Alzheimer residents: Effective care and risk management. *Healthcare Management Forum*, 5(2), 23–29. (M).
- Moore, K. D. (2007). Exploring how design may ameliorate attention fatigue. *Journal of Housing For the Elderly*, 21(1–2), 73–88. (M).

- Moore, K. J., Hill, K. D., Robinson, A. L., Haines, T. P., Haralambous, B., & Nitz, J. C. (2011). The state of physical environments in Australian residential aged care facilities. *Australian Health Review: A Publication of the Australian Hospital Association*, 35(4), 412–417. (H).
- Moos, R. H., & Lemke, S. (1984). *Multiphasic Environmental Assessment Procedure (MEAP): Manual*. Palo Alto, CA: Social Ecology Laboratory, Veterans Administration, and Stanford University Medical Center.
- Moos, R. H., & Lemke, S. (1996). *Evaluating residential facilities: The multiphasic environmental assessment procedure* (351pp.). Thousand Oaks, CA: SAGE Publications.
- Morgan-Brown, M., & Chard, G. (2014). Comparing communal environments using the assessment tool for occupation and social engagement: Using interactive occupation and social engagement as outcome measures. *British Journal of Occupational Therapy*, 77(2), 50–58. (M).
- Morgan-Brown, M., Newton, R., & Ormerod, M. (2013). Engaging life in two Irish nursing home units for people with dementia: Quantitative comparisons before and after implementing household environments. *Aging & Mental Health*, 17(1), 57–65. (M).
- Morgan, D. G. J., Semchuk, K. M., & Stewart, N. (2003). The physical and social environments of small rural nursing homes: Assessing supportiveness for residents with dementia. *Canadian Journal on Aging*, 22(3), 283–296. (H).
- Morgan, D. G., & Stewart, N. J. (1997). The importance of the social environment in dementia care. *Western Journal of Nursing Research*, 19(6), 740–761. (M).
- Morgan, D. G., & Stewart, N. J. (1999). The physical environment of special care units: Needs of residents with dementia from the perspective of staff and family caregivers. *Qualitative Health Research*, 9(1), 105–118. (L).

- Morgan, D. G., Stewart, N. J., D'arcy, K. C., & Werezak, L. J. (2004). Evaluating rural nursing home environments: Dementia special care units versus integrated facilities. *Aging & Mental Health*, 8(3), 256–265. (H).
- Netten, A. (1991). A positive experience? Assessing the effect of the social environment on demented elderly residents of local authority homes. *Social Work & Social Sciences Review*, 3(1), 46–62. (H).
- NHS Centre for Reviews and Dissemination (NHS CRD). (2001). *Undertaking systematic reviews of research on effectiveness, CRD Report No. 4* (2nd ed.). New York, NY: NHS Centre for Reviews and Development.
- Nijs, K. A., de Graaf, C., Kok, F. J., & van Staveren, W. A. (2006). Effect of family style mealtimes on quality of life, physical performance, and body weight of nursing home residents: Cluster randomised controlled trial. *British Medical Journal*, 332, 1180. (M).
- Nolan, B. A., & Mathews, R. M. (2004). Facilitating resident information seeking regarding meals in a special care unit: An environmental design intervention. *Journal of Gerontological Nursing*, 30(10), 12–16. (M).
- Noreika, J., Kujoth, J., & Torgrude, S. (2002). Using postoccupancy evaluation to guide bathroom design in a dementia-specific, assisted-living facility. *Alzheimer's Care Quarterly*, 3(1), 32–37. (L).
- Norris-Baker, C., Weisman, G., Lawton, M. P., Sloane, P., & Kaup, M. (1999). Assessing special care units for dementia: The Professional Environmental Assessment Protocol. In E. Steinfeld & G. S. Danford (Eds.), *Enabling environments: Measuring the impact of environment on disability and rehabilitation*. New York, NY: Kluwer Academic/Plenum.
- Nowak, L., & Davis, J. (2011). Qualitative analysis of therapeutic light effects on global function in Alzheimer's disease. *Western Journal of Nursing Research*, 33(7), 933–952. (M).

- Olsen, R. V., Ehrenkrantz, E., & Hutchings, B. (1996). Creating the movement-access continuum in home environments for dementia care. *Topics in Geriatric Rehabilitation*, 12(2), 1–8. (M).
- Palm, R., Bartholomeyczik, S., Roes, M., & Holle, B. (2014). Structural characteristics of specialised living units for people with dementia: a cross-sectional study in German nursing homes. *International Journal of Mental Health Systems*, 8, 39. doi:10.1186/1752-4458-8-39. (M).
- Parker, C., Barnes, S., McKee, K., Morgan, K., Torrington, J., & Tregenza, P. (2004). Quality of life and building design in residential and nursing homes for older people. *Ageing and Society*, 24(6), 941–962. (H).
- Passini, R., Pigot, H., Rainville, C., & Tetreault, M. H. (2000). Wayfinding in a nursing home for advanced dementia of the Alzheimer's type. *Environment and Behaviour*, 32(5), 684–710. (M).
- Passini, R., Rainville, C., Marchand, N., & Joanette, Y. (1998). Wayfinding and dementia: some research findings and a new look at design. *Journal of Architectural and Planning Research*, 15(2), 134–152. (H).
- Pawson, R., & Tilley, N. (1997). *Realistic evaluation*. London: Sage.
- Peatross, F. B. (2001). A syntactic study of control in restrictive settings: Innovations in isovist methods. *Environment and Planning*, 28(4), 529–544. (M).
- Philpot, T. (2006). No shadows: Terry Philpot visits the Iris Murdoch Building, a paragon of design for people with dementia. *Nursing Standard*, 20(23), 24–25. (L).
- Pouyet, V., Giboreau, A., Benattar, L., & Cuvelier, G. (2014). Attractiveness and consumption of finger foods in elderly Alzheimer's disease patients. *Food Quality and Preference*, 34, 62–69. (H).

- Price, J. D., Hermans, D., & Grimley Evans, J. (2001). Subjective barriers to prevent wandering of cognitively impaired people. *Cochrane Database of Systematic Reviews*, (1), Article No. CD001932. (H).
- Reimer, M. A., Slaughter, S., Donaldson, C., Currie, G., & Eliasziw, M. (2004). Special care facility compared with traditional environments for dementia care: A longitudinal study of quality of life. *Journal of the American Geriatrics Society*, 52(7), 1085–1092. (H).
- Rheaume, Y. L., Manning, B. C., Harper, D. G., & Volicer, L. (1998). Effect of light therapy upon disturbed behaviors in Alzheimer patients. *American Journal of Alzheimer's Disease & Other Dementias*, 13(6), 291–295. (L).
- Riemersma-van der Lek, R. F., Swaab, D. F., Twisk, J., Hol, E. M., Hoogendoijk, W. J. G., & Van Someren, E. J. W. (2008). Effect of bright light and melatonin on cognitive and noncognitive function in elderly residents of group care facilities – A randomized controlled trial. *Journal of the American Medical Association*, 299(22), 2642–2655. (H).
- Riley-Doucet, C. K. (2009). Use of multisensory environments in the home for people with dementia. *Journal of Gerontological Nursing*, 35(5), 42–52. (M).
- Roberts, E. (2011). Six for lunch: A dining option for residents with dementia in a special care unit. *Journal of Housing For the Elderly*, 25(4), 352–379. (M).
- Samus, Q. M., Rosenblatt, A., Steele, C., Baker, A., Harper, M., Brandt, J., ... Lyketsos, C. G. (2005). The association of neuropsychiatric symptoms and environment with quality of life in assisted living residents with dementia. *The Gerontologist*, 45(Spec No 1), 19–26. (M).
- Schwarz, B., Chaudhury, H., & Tofle, R. B. (2004). Effect of design interventions on a dementia care setting. *American Journal of Alzheimer's Disease & Other Dementias*, 19(3), 172–176. (M).

- Skea, D., & Lindesay, J. (1996). An evaluation of two modes of long-term residential care for elderly people with dementia. *International Journal of Geriatric Psychiatry*, 11, 233–241. (H).
- Slaughter, S. E., & Hayduk, L. A. (2012). Contributions of environment, comorbidity, and stage of dementia to the onset of walking and eating disability in long-term care residents. *Journal of the American Geriatrics Society*, 60, 1624–1631. [M].
- Sloane, P. D., Mitchell, C. M., Preisser, J. S., Phillips, C., Commander, C., & Burker, E. (1998). Environmental correlates of resident agitation in Alzheimer's disease special care units. *Journal of the American Geriatrics Society*, 46(7), 862–869. .
- Sloane, P. D., Williams, C. S., Mitchell, C. M., Preisser, J. S., Wood, W., Barrick, A. L., ... Zimmerman, S. (2007). High-intensity environmental light in dementia: Effect on sleep and activity. *Journal of the American Geriatrics Society*, 55(10), 1524–1533.(M).
- Smit, D., Willemse, B., de Lange, J., & Pot, A. M. (2014). Wellbeing-enhancing occupation and organizational and environmental contributors in long-term dementia care facilities: An explorative study. *International Psychogeriatrics*, 26(1), 69–80. (M).
- Smith, R., Fleming, R., Chenoweth, L., Jeon, Y., Stein-Parbury, J., & Brodaty, H. (2012). Validation of the Environmental Audit Tool in both purpose-built and non-purpose-built dementia care settings. *Australasian Journal on Ageing*, 31(3), 159–163. (M).
- Smith, S. C., Lamping, D. L., Banerjee, S., Harwood, R. H., Foley, B., Smith, P., ... Knapp, M. (2007). Development of a new measure of health-related quality of life for people with dementia: DEMQOL. *Psychological Medicine*, 37(5), 737–746.
- Spencer, K., Foster, P., Whittamore, K. H., Goldberg, S. E., & Harwood, R. H. (2013). Delivering dementia care differently – evaluating the differences and similarities between a specialist medical and mental health unit and standard acute care wards: A

- qualitative study of family carers' perceptions of quality of care. *BMJ Open*, 3(12), e004198. (M).
- Swanson, E. A., Maas, M. L., & Buckwalter, K. C. (1993). Catastrophic reactions and other behaviours of Alzheimer's residents: Special unit compared with traditional units. *Archives of Psychiatric Nursing*, 7(5), 292–299. (M).
- Tanner, D. (2012 Jun). Co-research with older people with dementia: Experience and reflections. *Journal of Mental Health*, 21(3), 296–306.
- Taylor, M. J., McNicholas, C., Micolay, C., Darzi, A., Bell, D., & Reid, J. E. (2014 Apr). Systematic review of the plan-do-study-act method to improve quality in healthcare. *BMJ Quality Safety*, 23(4), 290–298.
- Thomas, D. W., & Smith, M. (2009). The effect of music on caloric consumption among nursing home residents with dementia of the Alzheimer's type. *Activities, Adaptations and Aging*, 33(1), 1–16. (L).
- Tune, P., & Bowie, P. (2000). The quality of residential and nursing-home care for people with dementia. *Age and Ageing*, 29(4), 325–328. (M).
- van Hoof, J., Aarts, M. P. J., Rense, C. G., & Schoutens, A. M. C. (2009). Ambient bright light in dementia: Effects on behaviour and circadian rhythmicity. *Building Environment*, 44, 146–155. (M).
- van Hoof, J., Blom, M. M., Post, H. N. A., & Bastein, W. L. (2013). Designing a "Think-Along Dwelling" for people with dementia: A co-creation project between health care and the building services sector. *Journal of Housing For the Elderly*, 27(3), 299–332. (H).
- van Hoof, J., Kort, H. S. M., Hensen, J. L. M., Duijnstee, M. S. H., & Rutten, P. G. S. (2010). Thermal comfort and the integrated design of homes for older people with dementia. *Building Environment*, 45, 358–370 (M).

- Verbeek, H., Zwakhalen, S. M., van Rossum, E., Ambergen, T., Kempen, G. I., & Hamers, J. P. (2010). Dementia care redesigned: Effects of small-scale living facilities on residents, their family caregivers, and staff. *Journal of the American Medical Directors Association*, 11(9), 662–670. (M).
- Volicer, L., Collard, A., Hurley, A., Bishop, C., Kern, D., & Karon, S. (1994). Impact of special care unit for patients with advanced Alzheimer's disease on patients' discomfort and costs. *Journal of the American Geriatrics Society*, 42(6), 597–603. (M).
- Waller, S. (2012). Redesigning wards to support people with dementia in hospital. *Nursing Older People*, 24(2), 16–21. (M).
- Ward-Smith, P., Llanque, S. M., & Curran, D. (2009). The effect of multisensory stimulation on persons residing in an extended care facility. *American Journal of Alzheimer's Disease & Other Dementias*, 24(6), 450–455. (L).
- Warren, S., Janzen, W., Andiel-Hett, C., Liu, L., McKim, H. R., & Schalm, C. (2001). Innovative dementia care: Functional status over time of persons with alzheimer disease in a residential care centre compared to special care units. *Dementia and Geriatric Cognitive Disorders*, 12, 340–347. (M).
- Wight, D., Wimbush, E., Jepson, R., & Doi, L. (2016). Six steps in quality intervention development (6SQuID). *Journal of Epidemiology and Community Health*, 70, 520–525.
- Wijk, H., & Sivik, L. (1995). Some aspects of color perception among patients with Alzheimers disease. *Scandinavian Journal of Caring Sciences*, 9(1), 3–9. (M).
- Wilkes, L., Fleming, A., Wilkes, B. L., Cioffi, J. M., & Le Miere, J. (2005). Environmental approach to reducing agitation in older persons with dementia in a nursing home. *Australasian Journal on Ageing*, 24(3), 141–145. (M).

- Wilkinson, T. J., Henschke, P. J., & Handscombe, K. (1995). How should toilets be labelled for people with dementia? *Australasian Journal on Ageing*, 14(4), 163–165. (M).
- Wolf-Ostermann, K., Worch, A., Fischer, T., Wulff, I., & Gräske, J. (2012). Health outcomes and quality of life of residents of shared-housing arrangements compared to residents of special care units—results of the Berlin DeWeGE-study. *Journal of Clinical Nursing*, 21, 3047–3060. (M).
- Wong, A., Burford, S., Wyles, C. L., Mundy, H., & Sainsbury, R. (2008). Evaluation of strategies to improve nutrition in people with dementia in an assessment unit. *The Journal of Nutrition, Health & Aging*, 12(5), 309–312. (M).
- Wong, J. K. W., Skitmore, M., Buys, L., & Wang, K. (2014). The effects of the indoor environment of residential care homes on dementia sufferers in Hong Kong: A critical incident technique approach. *Building Environment*, 73, 32–39. (M).
- Woodbridge, R., Sullivan, M. P., Harding, E., Crutch, S., Gilhooly, K. J., Gilhooly, M. L. M., ... Wilson, L. (2016). Use of the physical environment to support everyday activities for people with dementia: A systematic review. *Dementia*, doi:10.1177/1471301216648670
- Yao, L., & Algase, D. (2006). Environmental ambiance as a new window on wandering'. *Western Journal of Nursing Research*, 28(1), 89–104. (M).
- Zeisel, J. (2000). Environmental design effects on Alzheimer symptoms in long term care residents. *World Hospitals and Health Services*, 36(3), 27–31. (L).
- Zeisel, J., Silverstein, N. M., Hyde, J., Levkoff, S., Powell Lawton, M., & Holmes, W. (2003). Environmental correlates to behavioural health outcomes in Alzheimer's special care units. *The Gerontologist*, 43(5), 697–711. (H).
- Zieschang, T., Dutzi, I., Muller, E., Hestermann, U., Grunendahl, K., Braun, A. K., ... Oster, P. (2010). Improving care for patients

with dementia hospitalized for acute somatic illness in a specialized care unit: A feasibility study. *International Psychogeriatrics*, 22(1), 139–146. (M).

Zuidema, S. U., de Jonghe, J. F. M., Verhey, F. R. J., & Koopmans, R. T. C. M. (2010). Environmental correlates of neuropsychiatric symptoms in nursing home patients with dementia. *International Journal of Geriatric Psychiatry*, 25, 14–22. (H).