

INDEX

- Aanya (case study), 98
- Abandonment, 44–45
- Abortion, 72–73, 75
 - case study, 76–77
 - client-centered genogram, 76–78
 - engaging paternal support, 75–76
 - examining developmental age readiness to decide, 73–75
 - indications for, 73–75
 - questions, 76
 - social justice case study, 75
- Abortion, 93
- Adam (case study), 9–10, 13
 - sample case study, 10–11
- Adjustment Disorders, 67–68
- Adolescence, 74
- Adolescents, 43
- Adults, 43–45
- Advanced practice registered nurse (APRN), 156–157
- Advocate for person, 88–89
- African American men, 109
- Africans, 6
- Agranulocytosis, 151
- Akwete (case study), 99
- Andrew (case study), 153
 - family matters, 154
 - protection-gang membership, 153
 - questions, 155–156
- Angeni (case study), 181
- Anguish, 60
 - case study, 62–63
 - displaced aggression, 62
 - embittered, 60–61
 - emotional recovery, 62
 - trauma, 61
 - trauma-related blame, 61–62
- Antitrans stigma, 9
- Anxiety, 75–76
- Asperger's syndrome, 190
- Bare feet, 96–97
 - Aanya case study, 98
 - Akwete case study, 99
 - case study, 96–98, 100
 - cultural application of, 97
 - feet, 96
 - Naambir case study, 98–99
 - not walked in, 97
 - questions, 98
- Becky (case study), 144
 - DCF, 145
 - parents reaction, 144–145
 - questions, 145–146
- Benign prostatic hyperplasia (BPH), 111–112
- Bias, 103
- Blindness, access to, 32–33
- Blood dyscrasias, 150
- Bodega, 69
- Brenda (case study), 133–136
 - life changes, 139
 - questions, 139–140
- Calluses, 96
- Cardiac care unit (CCU), 165
- Cardiovascular disease, 96–97
- Case studies
 - of social justice, 7
 - of vulnerable population, 48–51

- Centers for Disease Control and Prevention (CDC), 33
- Charles (case study), 168
- Chemoradiation therapies, 110–111
- Childhood, 73–74
- Children, 43
- Christianity, 126
- Citizens, 200–201, 204–205
 - arrival home, 201
 - awake, 202
 - grocery store, 204
 - home, 204
 - injustices, 202
 - school, 202–203
 - sleep, 202
 - work, 203–204
- Client-centered genograms, 3–4, 49, 51, 76–78
- Clozapine, 151
- Complementary Health Approaches (CHAs), 22–23
- Complications, 86–87
- Concept Map, 3–4, 13, 25–26
 - directions, 12–13
- Consequentialism, 31
- Corns, 96
- Coronavirus 2019 (COVID-19), 131–132
 - no school, 131–132
- Counterculture movement, 127
- Couples therapy, 146
- Crown Act, 177
- Cultural humility, 24, 48
- Death for cause, 128
- Decision process, 73
- Deep disagreement ethics, 30
- Deity, 124
- Deontology, 31
- Department of Children and Families (DCF), 143, 145
 - family meeting, 145
- Depression, 147
- Developmental age readiness to decide to abortion, 73–75
 - adolescence, 74
 - childhood, 73–74
 - unborn, 74–75
- Diabetes, 96–97
- Diagnostic statistical manual, The, 20
- Dinh (case study), 160
 - unpacking, 160–161
- Discharge plans, 23
- Displaced aggression, 62
- Disruption problem, 92
- Education, 36
- Electrocardiogram (ECG), 151, 166
- Electronic translator systems, 83
- Embittered person, 60–61
- Embryo, 92
- Emergence of espiritismo, 68–69
- Emergency department (ED), 82, 87
- Emotional recovery, 62
- Emotionally vulnerable
 - reengagement, 46–47
- Emotionally vulnerable person, 46
- Employee Assistance Program (EAP), 149
- Enslavement of people groups, 6
- Espiritismo, 66
 - case study, 66
 - emergence of, 68–69
 - grades, 67
 - psychiatric hospitalization, 67
 - social justice case study, 66
- Ethics
 - example of ethnic disparities in pregnancy, 33–34
 - justice and, 30–31
- Fear, 75–76
- Feet, 96
- Fetus, 72
- Food politeness, 172
- Forgiveness, 111

- Fright, 19, 22
- Genderqueer (*see* Nonbinary)
- Generalizations, 116
- Gestational Age, 74–75
- God, 124
- Guilt, 75–76
- Gurdwara, 98–99
- Harry (case study), 173–174
 podiatric practice, 173–174
- Health disparities, 34
- Healthcare systems, 34
- Hell, 69
- Hemolytic disease, 74–75
- Hierometer theory, 54
- Hinduism, 98
- Hippy movement, 127
- Hospitals, 34
 translators, 83
- Hostile work environment, 104
- Human soul, 60
- Identity acceptance, 55
- Idiopathic thrombocytopenic
 purpura (ITP), 72–73
- Immune globulin, 72–73
- Indentured servants, 6
- Infants, 43
 deaths, 43
- Infusion Center, 111
- Ingroup, 116
- Initiate advocacy, 88–89
- Intentional, 104
- Interdisciplinary approaches, 3
- Interdisciplinary case studies, 131
- Interdisciplinary teams, 2, 16–17,
 22–23, 131, 133
 complementary health
 approaches, 22–23
 concept map, 25–26
 contemplation activity, 24–25
 cultural humility, 24
 discharge home, 23
 expansion of view, 2
 fright, 19
- Godfrey brown case study,
 19–21
 no progression, 21–23
 nontraditional, 17
- Plectranthus Amboinicus
 (Loureiro) Sprengel, 23–24
 questions, 25
- International population
 proportion below poverty
 line, 107–108
- International poverty line, 108
- Intimate partner violence (IPV),
 147
 survivors, 147
 victims, 147–148
- Intravenous solution (IV solution),
 87
- Isolation, 45–46
- Jackson (case study), 165–167
 simulation day, 166–167
 simulation lab, 166
- Jews, 6
- Judgment, 102–104
 ownership, 102
- Just person, 30
- Justice, 30
 contemplation activity, 36
 and ethics, 30–31
 example of ethnic and racial
 health disparities in
 pregnancy, 33–34
 example of SDH, 32–33
 need for justice, 34–35
 personal accountability and
 social justice, 35
 question, 36
 scenarios, 36–38
 SDH, 32
 search, 31
- Karma, 98
- Language, 82
 interpretation services, 83
 services, 83

- Leading health indicators (LHI), 42
- Lesbian, Gay, Bisexual, and Transgender (LGBT), 10, 133
- Licensed practical nurse (LPN), 157
- Limitless, 98
- Linda (case study), 144
 - angry, 148–149
 - questions, 149–150
 - at work, 149
- Linguistics, 82
 - bias, 82
- Low-grade prostate cancer deaths, 109
- Major depressive episodes (MDE), 20, 43
- Marlee (case study), 169–170
 - departure, 171
- Marrietta (case study), 164
- Martin (case study), 181–182
- Medical abortion, 72
- Medical concerns, 35
- Medicine, 86
- Methotrexate, 72
- Mia (case study), 156–157
 - assumptions, 157–158
 - safe sex, 156–157
- Microaggression, 55–56
- Middle-income countries, 33
- Mifepristone, 72
- Misoprostol, 72
- Misunderstood, 54
 - case study, 55–56
 - identity acceptance, 55
 - self-concept, 54
 - self-esteem, 54
- Mitral regurgitation, 86–87
- Mitral valve prolapse, 86–87
- Moksha, 98
- Moore (case study), 184
 - assumptions, 184
 - buzz, 184
 - talk theory, 184–185
 - transport, 184
- Moral judgment, 103
- Naambir case study, 98–99
- National Health Interview's Early Release Program (2020), 109
- National Parent-Teacher Association, 203
- Nomadic, 128
- Nonbinary, 10
- Nontraditional interdisciplinary teams, 2, 17
- Not guilty, 30
- Obe's client-centered genogram, 112
- Older adults, 43–45
- Optimism, 102
- Organizations, 31
- Parent-teacher association (PTA), 200, 203
- Paternal support, 75–76
- Personal accountability, 35
- Peter (case study), 187–188
- Phonetics, 82
- Physician assistant (PA), 92
- Planned pregnancy, 92
- Plantar aspect, 96
- Plectranthus amboinicus (Loureiro) Sprengel, 23–24
- Population ethics, 30–31
- Posttraumatic stress disorder (PTSD), 61–62, 147
- Poverty, 108
- Poverty line, 108
 - international population proportion, 107–108
- Pragmatics, 82
- Pregnancy, 72, 92–93
 - example of ethnic and racial health disparities in, 33–34
 - test, 72–73
- Pregnancy-related mortality rates (PRMRs), 34
- Prejudgments, 117

- activity, 118–121
- Presumptions, 86
- Prostaglandins, 72
- Prostate cancer, 108–109
- Psychiatric hospitalization, 67
- Puberty, 74
- Public prayer, examining
 - expression of, 125
- Race-based stress (*see* Racial trauma)
- Racial health disparities in
 - pregnancy, example of, 33–34
- Racial trauma, 116
- Reengagement phase, 47
- Relativity, 7
- Religion, 124
- Religious freedom, 124
- Robert (case study), 150
 - blood dyscrasias, 150
 - hospitalization, 152
 - risk of re-challenge, 151–152
- Samuel (case study), 172
 - food politeness, 172
 - questions, 172
- Sanctity of faith, 126
- Scandalous political convictions, 126–127
- School-aged child, 73–74
- Screams, 146
- Self-blame, 61
- Self-concept, 54
- Self-esteem, 54
- Sexual assault response team (SART), 120–121
- Sexual relationship, 75–76
- Sexual sin, 69
- Sherrice (case study), 176–177
- Sikhism, 98–99
- Social determinants of health (SDH), 32
 - example of, 32–33
- Social justice, 1, 6, 35
 - Adam case study, 9–10, 13
 - case studies, 7
 - chronicles of humanness in, 126
 - directions, 11
 - importance of, 6–7
 - next steps, 12
 - nonbinary, 10
 - professional contemplations, 12–13
 - questions to consider, 11–12
 - rules of case study review and discussion, 8
 - safe social justice discussion guidelines, 9
 - soul, 7
 - transgender and antitrans stigma, 9
- Social justice case studies, 3
 - abortion, 75
 - espiritismo, 66
 - presentation of, 1–2
- Social justice Jesus, 128–129
- Societal culprit, 3
- Sociometer theory, 54
- Spiritual realm, 66
- Spiritualism, 66
- Stanley (case study), 189–190
 - observation, 190
 - treatment and interventions, 190
- Stereotypes, 116
 - threat, 116
- Steven (case study), 158–159
 - new faculty member, 158–159
- Stevens, Matty (case study), 186
- Stimulation, 144
- Stress, 19
- Structural equation modeling, 112
- Suicide and transgender people, 140
- Surgical abortions, 72–73
- Surveillance, Epidemiology, and End Results Program (SEER), 109
- Susan (case study), 179
 - unheard cries, 179–180

- Sustainable development goals (SDGs), 108
- Therapeutic abortion, 73
- Tina (case study), 195–196
 - passion, 197–198
 - program, 198–199
 - questions, 199
 - shared vision, 198
- Tommy (case study), 162–163
 - pool, 162–163
 - questions, 163
- Transgender, 9
- Translation services, 83
- Trauma, 61, 96–97
- Trauma-related blame, 61–62
- Traumatic brain injury (TBI), 48–49
- Traumatic events, 61
- Treatment options, 108–109
 - access, 108
 - forgive, 111–112
 - forgiveness, 111
 - international population
 - proportion below poverty line, 107–108
 - low-grade prostate cancer deaths, 109
 - Obe’s client-centered genogram, 112
 - questions, 112
 - treatment and frustration, 109–111
 - underinsured, 109
- Trust, 111–112
- Ultrasound, 72–73
- Unborn, 74–75
 - fetus, 92
- Underinsured, 109
- Unfounded fear, 3
- United States (US), 19, 144, 160
- Unplanned pregnancy, 92–93
 - case study, 92–93
 - disruption, 92
 - not planned, 92–93
- Virtue ethics, 30–31
- Visual impairment care, access to, 32–33
- Vulnerability, 42
- Vulnerable population, 42
 - adults and older adults, 43–45
 - all ages, 42–43
 - case studies, 48–51
 - children and adolescents, 43
 - client-centered genogram, 49–51
 - cultural humility, 48
 - infants, 43
 - isolation, 45–46
 - reengaging emotional vulnerable, 46–47
 - sentences and phrases, 47–48
 - unhealthy response, 46
- Vulnerable Shelby case study, 50
- World Health Organization (WHO), 108
- Young adulthood, 74
- Zachary (case study), 193
 - changes, 194
 - outcome, 195
 - shelter workers, 193