

Index

- Accuracy, 51
- Activation functions, 43
- Actuators, 140, 148
- Adaptive boosting (AdaBoost), 48–49
- Administrative data, 79
- Affordable Care Act, 120
- Affymetrix algorithm, 131
- Air quality, 99–101
- Alcoholism, 231
- Amazon Web Services, 21
- American Recovery and Reinvestment Act (ARRR), 117
- American Telemedicine Association (ATA), 247
- Analytical tools, 4
- Annual Health Survey (AHS), 63
- Apache Pig, 21
- Apollo TeleHealth Services (ATHS), 250
- Arduino, 142
- Artificial intelligence (AI) (*see also* Business intelligence (BI)), 32, 57, 66, 94, 207, 224
- Artificial neural network (ANN), 234–235, 267–269
- ATMEGA328P microcontroller, 141–142, 144
- Automatic tomography, 174
- Autumn eats, 229–230
- Averaging, 49–50
- Bagging technique, 40, 49
- “Banyan of Knowledge” system, 56
- Barometric pressure, 102
- Base learners (*see* First-level learners)
- Bayes theorem, 35, 270–271
- Bell’s palsy, 174, 176
- Beta-blockers, 206
- Big data (BD), 17–18, 116, 207, 264
 - anatomy, 123–126
 - definitions in health sector, 18
 - methods and technology progress in, 118–120
 - needs in health sector, 18–19
- Big data analytics (BDA) (*see also* Computer-aided big healthcare data analytics; Predictive big data analytics in healthcare), 17–18, 56, 59–61, 66–67, 118
 - achievements, 71
 - analysis, 62–71
 - applications in health care, 4–15
 - challenges, 23–24, 71–72
 - concept and emergence of big data, 59
 - curing cancer, 9–10
 - data as fuel of modern economy, 57–59
- EHRs, 19
- EMRs, 19
- health care analytics environment, 19
- historical perspective, 65–66
- and intelligence, 2–4
- internet of things, 20
- need for security and a mechanism to reducing fraud, 11–12
- objectives, 61
- opportunities in health through BDA use, 21–23
- research methodology, 61
- sensor data, 19–20
- sources of data, methods, and challenges, 4–6

- strategies to overcoming challenges
 - of BDA in health sector, 24–25
 - techniques, tools, and technologies in health sector, 20–21
- Big Data to Knowledge (BD2K), 119, 127
- Big Healthcare Data (BHD), 119
- BMP180 Breakout, 102
- Body mass index (BMI), 272
- Boosting, 48–49
- Bootstrap aggregation (*see* Bagging technique)
- Botulinum toxin, 177
- Breast cancer (BC), 190
 - related work on BC prediction, 190–192
- Breastfeeding, 231
- Brownian movement, 101
- Business intelligence (BI), 153, 155
 - contribution, 154–155
 - data warehouse design, 160–161
 - dataset, 161–162
 - ETL process, 163
 - evolution, 156
 - in healthcare industry and benefits, 156–157
 - implementation, 167–170
 - literature survey, 157–159
 - problem identification, 159
 - vision, 154
 - workflow, 159
- Business models of telehealth, 249–252
- C4.5 decision tree algorithm
 - technique, 275
- Cadmium Sulfide (CdS), 143
- Cancer (*see also* Breast cancer (BC)), 227
- Carbohydrates, 226, 231
 - deficiency, 231
- Carbon filter, 100
- Carbs (*see* Carbohydrates)
- CART techniques, 40
- Cassandra, 84
- Cells, 224–225
- Central facial palsy, 174
- Chi-square
 - algorithm, 38
 - test, 210
- Chip, 142
- Chronic facial paralysis, 177
- Chronic kidney disease (CKD), 276
- Citizen-consumer, 57
- City Block Distance (*see* Manhattan distance)
- Classification algorithms
 - activation functions, 43
 - bagging, 49
 - boosting, 48–49
 - chi-square algorithm, 38
 - CNN and RNN, 47
 - combination methods, 49–50
 - cost function, 41–42
 - data mining in health care, 32–33
 - decision trees, 37–38
 - E-health, 52–53
 - ensemble learning, 47–48
 - gradient descent algorithm, 47
 - KNN, 33–34
 - linear activation function, 43
 - logistic regression, 40–41
 - model evaluation, 50–52
 - Naïve Bayes algorithm, 34–35
 - neural networks, 42–43
 - pruning, 39
 - random forest algorithm, 39–40
 - ROC curve, 52
 - sigmoid function, 41
 - SVM, 35–37
- Clinical decision support (CDD), 116
- Clinical trials, 80
- Cloudera, 21
- Cluster analysis, 20
- Collaborative Assessment and Recommendation Engine (CARE), 131
- Combination methods, 49–50
- Committee-based learning, 48
- Complex carbohydrates, 226
- Computational fluid dynamics, 59

- Computer-aided big healthcare
 - data analytics (*see also* Smart nursery with health monitoring system)
 - anatomy of big data, 123–126
 - benefits of BHD analytics, 126–127
 - BHD applications in real clinics, 127–131
 - methods and technology progress in big data, 118–120
 - motivation, 120–123
- Conductivity sensor, 101
- Confusion matrix, 51–52
- Congestive heart failure (CHF), 47
- Convolution, 235
- Convolution(al) neural networks (CNNs), 47, 235–237
- Coronary artery disease (CAD), 206
- Correlation matrix, 154, 159, 167
- Cosine distance, 34
- Cost function, 41–42
- CRDC tool, 10
- Cross-facial re-innervation processes, 178
- Data
 - data-citizens, 57
 - data-driven economy, 57
 - as fuel of modern economy, 57–59
 - mining, 20, 32–33, 66, 264
 - quality, structure, and accessibility, 22
 - set, 104
- Data warehouse (DW), 154
- DCM education tool, 210
- Decision trees, 37–39, 158–159, 168, 272
- Deep learning, 42, 234–238
- Deming's PDCA Cycle, 61
- Descriptive analytics, 56, 67
- DHT11 module, 143, 146
- Diabetes (*see* Diabetes mellitus (DM))
- Diabetes distress (DD), 210
- Diabetes management self-efficacy (DMSE), 210
- Diabetes mellitus (DM), 204, 227
 - age group and gender distribution, 212
 - experimental setup, 211
 - future scope, applications, and limitations, 217–220
 - insulin consumption, 213–216
 - literature survey/previous findings, 209–211
 - novelty in work, 216–217
 - recommendations, 220
 - study and analysis, 211
- Diagnostic analytics, 56
- Dietary fiber, 227
- Digital disease surveillance, 80
- Dimension table, 160
- Disease level of patient, 176
- District Level Household Survey (DLHS), 63
- Doctor Insta, 252
- Dynamic programming, 66
- E-health, 13, 52–53
- Education, 14
- Electrocardiogram (ECG), 116
- Electroencephalogram (EEG), 116
- Electromyography (EMG), 116, 174
- Electronic health records (EHR), 2, 6–7, 19, 76, 83, 116, 156, 248, 264
- Electronic medical records (EMR), 19, 77–78, 116
- Electronic patient records (EPRs), 118
- Electronic wellbeing records (EWRs), 117
- Emerging technological ecosystem, 66
- Enhanced Multiclass Support Vector Machine (EMSVM), 191
- Ensemble
 - learning, 47–48
 - model, 275
- Entropy, 37
- Error matrix (*see* Confusion matrix)
- Euclidean distance, 33–34
- European Union (EU), 59
- Evidence-based decision-making, 22

- Executive Information Systems (EIS), 156
- Expression quantitative trait loci (EQTLs), 131
- Extraction, transformation, and loading process (ETL process), 155, 163
- eXtreme Gradient Boosting algorithm (XGBoost algorithm), 49
- ExxonMobil Research and Engineering Company (EMRE), 58
- F1 score, 52
- Facial palsy, 173–175
 - comparative study of existing solution, 178–181
 - levels, 185
 - literature survey, 175–176
 - problem identification, 177
 - proposed solution, 181–183
 - pros and cons of solution, 183
- Facial paralysis, initial surgery for, 177
- Fact table, 160
- Failure of heart (*see* Congestive heart failure (CHF))
- False negative (FN), 51
- False positive (FP), 51
- Fat(s), 226
 - deficiency of, 231–232
 - fat-soluble vitamins, 226
- Feature
 - ranking, 193
 - selection, 190
- Filtering, 105
- First-level learners, 50
- Flaccid paralysis, 177
- Flattening, 237
- Food
 - choices, 223
 - dyes, 227
 - effect of weather, 228
 - role and value of nutrients, 224–227
 - security, 230
- Forest optimization algorithm (FOA), 191
- Fraud detection, 22
- Frequency table, 37
- G1 Dispensaries, 251
- GDC tool, 9
- Generalizable Medical Information Analysis and Integration System (GEMINI), 129
- Genetic algorithm (GA), 190
- Genome Analysis ToolKit (GATK), 131
- Genome-wide association study (GWAS), 131
- Genomics, 78
- Gestational diabetes, 204
- Gini importance, 40
- Gini index, 38
- Global Pulse project, 119
- Glocal Digital Dispensaries, 250–251
- Glocal Healthcare Systems Private Limited, 250–251
- Goodness of split criterion, 272
- Government agencies, 13
- Gradient boosting, 48
- Gradient descent algorithm, 42, 47
- Graph analytics, 21
- Gross data product, 58
- Gross domestic product (GDP), 121
- Grove–Gas Sensor, 99–100
- Hadoop, 21
- Hadoop distributed file system (HDFS), 66, 84
- Hamming distance, 33–34
- Health Information Technology (HIT), 117, 248
- Health Insurance Portability and Accountability Act legislation, 23
- Health sector
 - BD definitions in, 18
 - BD needs in, 18–19
- Health-threat detection, 22

- Healthcare, 14, 139, 155
 - AI in, 207
 - analytics environment, 19
 - applications of BD in, 208
 - big data applications in, 4–15
 - data mining in, 32–33
 - IoT in, 208
 - ML in, 207
 - predictive analytics in, 10–11
 - technology in addressing
 - problem of integration, 208–209
- Healthcare electronic record (HER), 116
- Healthy diet with balanced nutrients, 223
- HEPA filter, 100–101
- High blood pressure, 227
- HIT for Economical and Clinical Health (HITECH), 117
- Hold out method, 191
- Hospitalization, 276
- House Brackman grading system, 176
- Hyperbolic tangent activation function, 45
- Hyperplanes, 36
- ID3 algorithm, 158
- IECM algorithm, 183
- Image
 - acquisition, 182
 - conversion to arrays, 105
 - processing, 175
 - segmentation, 182–183
- Information gain, 37–38
- Information gain ratio (IGR), 191
- Information technology (IT), 15, 125
- Infrared sensor (IR sensor), 142, 144
- Infrastructure Plus Program, 119
- Instance-based KNN, 34
- Institute for Health Technology Transformation (IHTT), 117, 120
- Insulin consumption, 213–216
- Insurance, 14
- Intensive care unit (ICU), 124
- Intergovernmental Panel Climate Change (IPCC), 95
- International development, 13
- Internet of Things (IoT), 14–15, 19–20, 57, 94, 208
- Intrusion detection and security system (IDS system), 141
 - future scope, 148–149
 - hardware assembly and implementation, 144–147
 - literature review, 140–141
 - system architecture, 141–144
 - working, 148
- Jaccard distance, 34
- Jaql, 21
- K*-most similar data points, 34
- k*-Nearest Neighbours (KNN), 33–34, 233–234, 267, 269–270
- Knowledge-based economy, 57
- Lab testing, 78
- Lazy learning KNN, 34
- Leaky rectified linear unit activation function (Leaky ReLU), 45–46
- Learning
 - multiple classifier systems, 48
 - phase, 267
- Light-dependent resistor (LDR), 141
 - module, 142–143, 146
 - sensor, 94, 97–98
- Linear activation function, 43
- Linear regression, 40–41, 272–273
- Lipomics, 78
- LitmusDx, 251
- LM35 gadget, 101
- Logistic regression, 40–41, 273–274
- Machine learning (ML), 21, 32, 42, 66, 190, 207, 224, 233–234, 265
 - classifiers, 193–194

- Macronutrients, 226
- Magnetic resonance imaging (MRI), 116, 174
- Mahalanobis distance, 34
- Mahout, 21
- Majority voting, 50
- Malnutrition, 230–231
- Mammography, 116
- Man to machine interaction (M2M interaction), 120
- Manhattan distance, 33–34
- Manufacturing, 14
- MapReduce, 21, 84
- Margin in SVM, 36
- Max pooling, 236–237
- Meal classification and assessment of nutrients
 - autumn eats, 229–230
 - carbohydrates, 231
 - deep learning, 234–238
 - fat deficiency, 231–232
 - food security, 230
 - future scope, 239–240
 - life-threatening diseases caused by unhealthy food, 227
 - machine learning, 233–234
 - malnutrition, 230–231
 - mineral deficiency, 233
 - problem identification, 230
 - proposed solution, 238–239
 - protein deficiency, 232
 - role and value of nutrients in food, 224–227
 - spring eats, 229
 - summer eats, 228
 - vitamin deficiency, 232
 - effect of weather on food, 228
 - winter eats, 229
- Mean decrease in impurity (MDI) (*see* Gini importance)
- Media, 14
- Median, 195–196
 - filtering, 183
- Medical
 - claims, 79–80
 - imaging, 3
 - Medical Termination of Pregnancy (MTP), 64
- Medicines, 231
 - history of, 244
- Medongo, 251
- Memory analytics, 66
- Meta learner, 50
- Metal oxide-semiconductor (MOS), 142
- Microcontroller, 141–142
- Micronutrients, 226
- MiCS-2714 Gas Sensor, 100
- Migraine, 204–205
- Mineral(s), 227
 - deficiency, 233
- Minkowski distance, 34
- Model
 - evaluation, 50–52
 - selection, 50
- Moisture sensor, 94, 98
- Morphological processing, 183
- Mosaic plot, 159, 167
- MQ2 Sensor, 99–100, 142, 145
- MQ9 Sensor, 100
- Multiple voxel pattern analysis (MVPA), 209
- Multiway frequency analysis, 274
- Mutation, 244
- “My Kardio” framework, 256
- Naïve Bayes (NB), 190, 194
 - algorithm, 34–35
 - classification modeling, 270–272
 - classifier, 34–35
- National Family Health Survey (NFHS), 63
- National Health Service (NHS), 127
- National Institute of Health (NIH), 119
- NCI tool, 10
- Nerve transfer, 178
- Neural networks, 21, 42–43
 - activation functions, 43
 - hyperbolic tangent activation function, 45
- Leaky ReLU, 45–46

- linear activation function, 43
- ReLU function, 45
- sigmoid activation function, 43
- Softmax activation function, 46–47
- Neurosynaptic communications, 249–250
- Neurosynaptic Communications Private Ltd (NCPL), 249
- Noise removal methods, 105
- Non-essential nutrients, 227
- Non-parametric KNN, 34
- Non-suicidal trauma factor (NSSI), 209
- Normal AC Filter, 101
- Numeric predictions, 36
- Nutrients, 223–224
 - role and value of nutrients in food, 224–227
- Obesity, 205, 227
- Object-oriented programs, 56
- Omics, 78–79
- Oozie, 21
- Optical imaging, 116
- Optimized delivery in telehealth care, 252
- Osteoporosis, 227
- Palsy, 173
- Partial facial paralysis, 174
- Patient
 - engagement, 8–9
 - health record, 116
 - patient-centric care, 22
 - predication, 3
- Patient disease (Pdis), 161
- Pattern recognition technique, 21
- Peripheral facial palsy, 174
- Personalized healthcare, 77
- pH sensor, 94, 98
- Photograph objects, 183
- Photoresistor, 97–98
- Photosynthesis, 96
- PIG Latin, 84
- PlantVillage, 104
- Plurality voting, 50
- PM 2.5 Sensor, 100
- Population health, 22
- Positron emission tomography (PET), 116
- Potentiometric pH meter, 98
- Power Grid Data, 4
- PPD42NJ Particle Sensor Unit, 99
- Precision, 51
- Prediabetes, 204
- Predictive analytics, 56, 67, 220
 - in health care, 10–11
- Predictive big data analytics in healthcare (*see also* Big data analytics (BDA)), 76
 - advantages, 84–85
 - areas of application, 81–84
 - challenges, 86–88
 - claims data, 79–80
 - clinical data, 77–79
 - clinical research data, 80
 - data-related concerns, 87
 - infrastructural concerns, 86
 - IT infrastructure benefits, 84
 - managerial benefits, 85
 - operational benefits, 84–85
 - organization-related concerns, 88
 - organizational benefits, 85
 - patient-generated data, 80–81
 - security/privacy concerns, 87–88
 - sources of big data in healthcare, 77–81
 - strategic benefits, 85
- Predictive healthcare, 77
- Predictive modeling in health care
 - data analytics, 264–266
 - applications, 274–277
 - disease diagnosis and treatment selection, 274–276
 - health care management, 276–277
 - reducing health care costs, 277
 - techniques for, 267–274
- Prescription claims, 79–80
- Prescriptive analytics, 56, 67
- Preservatives, 227
- Pressure sensor, 102
- “Process of transformation”, 60

- Protein(s), 226
 - deficiency, 232
- Proteomics, 78
- Pruning, 39
- PS2 Pollen Sensor, 99
- Public health, 22

- Radionuclide imaging, 116
- Random decision forest, 193
- Random forest (RF), 190–191, 193, 275
 - algorithm, 39–40
 - classifier, 40
 - experimental results, 197–200
 - machine learning classifiers, 193–194
 - proposed methodology, 196–197
 - statistical analysis, 194–196
- Raspberry Pi, 141
- Recall, 51–52
- Receiver Operating Characteristics
 - curve (ROC curve), 52
- Recommender system, 131
- Rectified linear unit activation
 - function (ReLU function), 45, 236
- Recurrent Neural Networks (RNN), 47, 237–238
- Relay, 143–144
- ReMeDi Nova, 250
- ReMeDi Platform, 250
- ReMeDi Solution, 249–250
- Research and development
 - professionals (R&D professionals), 56
- Resizing images, 105
- Right to Information Act (2005), 71
- Risk-scoring, 79
- Root mean square error (RMSE), 191, 196
- Root relative squared error (RRSE), 191

- Search Engine Data, 4
- Second-level learner (*see* Weak learners)

- Security, 11, 139–140
- Semi-supervised learning, 193
- Sensor(s), 140
 - data, 19–20
- Shannon's entropy, 37
- Sigmoid activation function, 43
- Sigmoid function, 41
- Simple averaging, 49
- Simple carbohydrates, 226
- Smart nursery with health monitoring
 - system
 - data acquiring and preprocessing, 104–105
 - data modeling, 105–106
 - literature survey, 95–103
 - methodology, 103–106
 - results, 110–112
 - solution, 106–110
- Smartwatches (*see* Wristwatches)
- Social media data, 80
- Soft voting, 50
- Softmax activation function, 46–47
- Software for Flexible Integration of Annotation (SoFIA), 131
- Soil pressure, 102
- Spatial analysis, 21
- Spring eats, 229
- Sqoop, 21
- Stacking, 50
- Staffing levels, 5
- Standard deviation (SD), 196
- Statistical analysis, 194–196
- Stress, 204
- Sulfur dioxide, 96
- Summer eats, 228
- Supervised learning, 37, 193, 265
- Support vector machines (SVM), 35–37, 190, 192–194, 234, 256, 267
 - advantages and disadvantages, 234
- Support vectors (SV), 234
- Synkinesis, 177

- Tanimoto distance, 34
- Telecardiology, 248

- Tele dermatology, 248
- Telehealth, 243, 246–247
 - barriers to, 252–257
 - business models, 249–252
 - early civilization, 245
 - evolution, 246
 - history of medicine, 244
 - methodology, 257
 - modern history, 245–246
 - optimized delivery in telehealth care, 252
 - pre-historic ERA, 244–245
 - process of evolution, 244
 - results, 257–261
- Telemedicine, 12–13, 77, 247–249
- Telenephrology, 248
- Teleneurology, 248
- Teleobstetrics, 249
- Teleoncology, 249
- Teleophthalmology, 248
- Telepathology, 249
- Telepsychiatry, 248
- Telerehabilitation, 249
- Temperature sensor, 101
- Tension-type headaches (TTH), 205, 215
- Text mining, 66
 - medical records, 11
- Thermography, 116
- Tin dioxide (SnO₂), 142
- True negative (TN), 51
- True positive (TP), 51
- Type 1 diabetes (T1D), 204, 204, 216

- Ultrasonography (US), 116
- Undernourishment, 231
- Unsupervised learning, 193, 265

- Valance, 125
- Validity, 126
- Value, 126
- Variance, 196
- Variety, 4, 18, 124
- Velocity, 4, 18, 124
- Veracity, 125
- Visualization, 126
- Vitamin(s), 226–227
 - deficiency, 232
- Volatility, 126
- Volume, 4, 18, 123
- Voting, 50
- Vulnerability, 126

- Water, 226
 - water-soluble vitamins, 227
- Weak learners, 48
- Wearable sensors, 81
- Weighted averaging, 50
- Weighted voting, 50
- Whole-genome association study (WGAS), 131
- Winter eats, 229
- Wireless sensor network (WSN), 141
- Wisconsin Breast Cancer Data (WBCD), 190
- World Health Organization (WHO), 122, 275
- Wristwatches, 116

- X-ray
 - computed tomography, 116
 - radiography, 116

- YOLO Health, 251

- Zookeeper, 21, 84