

INDEX

- Abstraction hierarchy, 176–177,
181–185
 - for case cart preparation, 186
 - for sterilization, 184
- Alarm
 - desensitization, 137–138
 - suppression, 169
- “Alert, verbal, pain, unresponsive”
scale (AVPU scale), 236–237
- Algorithm-based patient assessment
approaches
 - algorithm development
 - approaches, 235–236
 - considerations, 236–237
 - intensive care illness severity
scores, 234–235
 - literature review of, 230–237,
231–233
 - pre-operative and post-anesthesia
care level risk assessment
scores, 230–234
 - “track and trigger” algorithms, 235
 - See also* System-based approaches
for hospitals
- American College of Surgeons
 - National Surgical Quality
Improvement Program (ACS
NSQIP), 230–234
 - calculator, 238
- American Heart Association (AHA),
161
- American Society of Anesthesiologists
(ASA), 230
- Bartlett’s Test of Sphericity, 105
- Beryl Institute, 256
- “Best Care at Lower Cost” report,
198–199
- Blood-stream infections (BSIs), 38
- Burnout, 100–101, 102
 - professionals, 104
 - structural equation model, 109
- Cardiac monitoring days (CMD),
161, 163–164
- Care coordination, 239, 240–241
- Case cart preparation, 174, 176–177,
179–180, 193–194
- Centers for Disease Control and
Prevention (CDC), 62–63
 - Fluview, 63–64
- Clinical
 - decision support tools, 77
 - environment, 104–105
 - patient-safe working environments,
101
 - quality, 259–260
 - reasoning skills, 243
 - space design, 77
- Computer-based GIS applications,
62–63
- Conservation of Resources Theory,
104
- Continuous cardiac monitoring
(CCM), 160–161
 - guidelines for effective, 161
 - interventions, 161–162
 - methods, 162–164
 - orders, 162
 - patient classification, 163
 - policy, 169
 - results, 164–165

- Continuous learning health care system, 198–199
 case setting, 201–202
 cultural catalyst and deterrent themes and sub-themes, 216–218
 cultural enabler and motivator themes and sub-themes, 207–215
 cultural evolution, 204–214
 data analysis and interpretation, 202–204
 practice implications, 223
 procedures and data sources, 202
 study design overview, 200–201
 theory, 200
See also Health care
- Cultural/culture, 200
 catalysts, 206, 216–218, 221
 deterrents, 206, 216–218, 221
 evolution model, 204–214
- Data
 consumers, 245–246
 data-driven approaches, 235–236
 producers, 245–246
 source review and open coding, 202–204
- E-prescribing system, 12–13
 Early warning scores (EWS), 235
 Electronic health record (EHR), 63–64, 67, 161
 Electronic medical record (EMR), 136–137, 237
 Emergency department (ED), 160–161
 boarding rate, 163–164, 166–169
 Ethnography, 199, 200–201, 203
 Exploratory factor analysis (EFA), 105
 Extended Control Model (ECOM), 130, 131, 140
- Failure Modes and Effects Analysis (FMEA), 194
- Failure to rescue events (FTR events), 228–229
 analysis goals and assessment approach, 122–124
 case example, 121–122
 improvement investigation, 229
 leverage point analysis, 134–144
 macro-level systems analysis, 124–134
 mitigation system analysis, 121, 147
 opportunity for systems analysis of patient safety programs, 120–121
 system requirements development and intervention selection, 144–146
- Foley catheters, 45, 46
- General Surgical Care, 129–130
- Geographic information systems (GIS), 62–63
 analysis of research gaps, 66–67
 challenges to implementation of Hospital GIS, 70, 71
 complexity assessment using NASSS framework, 67–69
 design/methodology/approach, 64–65
 future directions, 72
 GIS for infection prevention, 65–66
 hospital GIS for outbreak investigation, 66
 limitations, 71–72
 originality/value, 72
 targeted literature review, 65–66
- Glasgow Coma Scale (GCS), 236–237
- Goodness of fit index (GFI), 107–109, 111

- Health care
- delivery in modern hospitals, 146
 - delivery units, 37–38
 - design, 20–21
 - environment, 20–21, 40
 - landscape, 20
 - process model development to
 - guide change, 22–23
 - PRODUCE, 23–31
 - professionals, 12, 104
 - services, 199
 - systems approach in, 38–39, 120, 198–199
- Health information technology (HIT), 38, 75–76, 92–93
- Healthcare-associated infections (HAIs), 36
- central venous catheter, 48
 - complex system risk of infection model, 39–41
 - fractional factorial experimental design, 58–59
 - mixture design and contour plot development, 53–57
 - model validation and optimization, 42
 - risk, 47
 - systems approach in health care and infection control, 38–39
 - systems model to simulate and identify effective interventions, 43–47
- See also* Hospital-acquired infection (HAI)
- Hospital design, 3, 5, 10
- Hospital GIS, 63–64, 65, 67, 72
- challenges to implementation of, 67–69, 71
 - for outbreak investigation, 66
- See also* Geographic information systems (GIS)
- Hospital-acquired infection (HAI), 62
- See also* Healthcare-associated infections (HAIs)
- Human factors, 75–77
- analysis to derive design requirements, 84–85
 - application to physical space design, 78
 - approach, 101
 - data collection, 79–85
 - evaluating candidate design plan
 - against design requirements, 85
 - expert evaluation, 85–87
 - findings, 87–91
 - identifying vulnerabilities in
 - proposed design, 85–87
 - implications, 92–94
 - in-depth individual interviews, 80–83
 - Interim Build design concept
 - assessment, 91
 - methods, 79–87
 - metrics development, 87
 - NICU redesign effort, 78–79
 - observations, 83–84
 - recommendations, 91
 - revisions to design plan, 91
 - stakeholder meeting, 79–80
- Illness-severity scores, 230
- Individuals and Moving Range charts (I-MR charts), 164
- Infection prevention, GIS for, 65–66
- Institute for Healthcare Improvement's Framework for Spread, 200
- Institute of Medicine (IOM), 75–76
- Integrated system approach to design, 239–248
- clinical workflow design, 241–245
 - control model of patient care, 242
 - flowchart of notification process, 245
 - general information flow concept, 243
 - information systems infrastructure model, 245–246
 - initial stakeholder preferences, 240

- modeling, 130–132
- observations from current state
 - data and algorithm literature review, 239–240
- pilot implementation planning, 246–248
- scope and objectives, 240–241
- Intensive care unit (ICU), 126, 162, 230
 - See also* Neonatal Intensive Care Unit (NNICU); Surgical critical care unit (SICU)
- Interim Build design, 79–80, 81–83
- Intraorganizational Model for Developing and Spreading Quality Improvement Innovations, 200
- Intravenous medication (IV medication), 48
- Job Demands-Resources Model (JD-R Model), 101–102, 104, 112
- Latent safety threat (LST), 21–22
- Law of Stretched Systems, 166–169
- Lean Six Sigma-based competency development program, 123, 238
- Leverage point analysis, 134–144
 - current state analysis, 138–140
 - driver diagram, 145
 - dynamic system modeling, 140–141
 - evidence review, 134–138
 - excerpt of requirements document, 146
 - inpatient rescue data analysis, 139
 - integrated fishbone diagram, 143
 - people and teams, 134–136
 - simulation of patient deterioration, 141
 - stakeholder feedback and analysis integration, 142–144
 - technology and socio-technical issues, 136–138
 - See also* Macro-level systems analysis
- Licensed nursing assistants (LNAs), 129–130
- Life Safety Program, 127
- Light(ing), 7–8
 - optimization, 7–8
- Machine learning approaches, 235
- Macro-level systems analysis, 124–134
 - current state analysis, 127–130
 - evidence review, 126–127
 - institutional-level baseline data for general and FTR specific metrics, 128
 - integrated system modeling, 130–132
 - process and resource mapping, 129
 - stakeholder knowledge elicitation and identification of key system leverage points, 132–134
 - See also* Leverage point analysis
- Macro-system
 - enablers, 206–215, 220–221
 - motivators, 206–215, 221
- Maslach’s burnout measure, 113–114
- Medical error(s), 2, 3, 75–76
 - in obstetric departments, 100–101
- Methicillin-resistant *Staphylococcus aureus* (MRSA), 38–39
- Model for Understanding Success in Quality (MUSIQ) model, 200
- Modified Early Warning Score (MEWS), 238
- Multi-drug resistant organisms (MDROs), 62
- National Early Warning Score (NEWS), 235
- Neonatal Intensive Care Unit (NNICU), 29–31, 77
 - redesign effort, 78–79

- Noise reduction, 8–9
- Nonadoption, abandonment, scale-up, spread, and sustainability framework (NASSS framework), 64–65
 - complexity assessment using, 67–69
- Nudging
 - to raise compliance, 12–13
 - solutions, 4–5
- Nurses, 243–244
- Obstetric care, study of, 99
 - hypothesized model of study, 105
 - item statements, 106
 - limitations, 113–114
 - method, 105–106
 - model fit indices, 111
 - one-way analysis of variance, 110
 - results, 107–111
 - theoretical framework, 103–105
- Ohio State University Wexner Medical Center (OSUWMC), 162
- Patient assessment, 239
 - integrated systems approach to design, 239–248
 - literature review of algorithm-based patient assessment approaches, 230–237
 - score calculations, 236
 - study hospital current state system information, 238–239
 - tools, 229
- Patient experience, 256
 - analysis, 258
 - data collection, 257
 - demographics, 258
 - metrics of success, 258
 - multidimensional definition, 256–257
 - performance measures beyond satisfaction scores, 259
 - satisfaction, 256
 - sharing of data, 259
 - survey instrument, 257
- Patient safety, 93, 100, 228, 259–260
 - good practices for improving, 7–13
 - opportunity for systems analysis of, 120–121
- Patient Safety Indicator 4 (PSI4), 127
- Pediatric Index of Mortality (PIM2), 39–40
- Performance improvement (PI), 257
- Performance measurement, 247–248
- Portsmouth Physiological and Operative Severity Score for the Enumeration of Mortality and Morbidity (P-POSSUM), 234, 237
- Post Anesthesia Recovery (PAR), 234, 237
- Post-anesthesia care unit (PACU), 30–31, 129–130, 234
- Process for design of user-centered environments (PRODUCE), 23–31
 - assessing outcomes, 28
 - construction, 25–26
 - design, 23–25
 - post go-live, 27
 - pre-opening, 26–27
 - putting PRODUCE into practice, 31
 - scaling model, 28–29
 - women’s services and neonatal intensive care, 29–31
- Quality of patient experience, 259–260
- Quick Sequential Organ Failure Assessment Score for Sepsis (qSOFA), 235
- Registered nurses (RNs), 80–81
- Rescue
 - activation, 239
 - system, 127

Risk

- algorithms, 237
- analysis model, 40
- model, 40–41, 42
- risk-based index, 40
- scoring mechanisms, 47

Safety, Communication, Operational Reliability and Engagement survey (SCORE survey), 129–130

Salmonella enteritidis, 66

Sequential Organ Failure Assessment Score (SOFA Score), 235

Sexton's tool version, 113–114

Simplified Acute Physiology Score 3 (SAPS 3), 234

Stakeholder

- knowledge elicitation, 132–134
- meeting, 79–80

Steam sterilizers, 179

Sterile processing

- abstraction hierarchies, 181–185
- approach, 176
- basic system description, 177–180
- case cart interruptions, 189–191
- department (SPD), 174, 175
- design and setting, 175–176
- general observations, 189
- generalizability, 192
- HTA, 181
- limitations, 194–195
- modeling, 176–177
- performance sampling, 177, 189–192
- tray defect data, 192
- variance matrix, 185–189

Structural Equation Modeling (SEM), 105–106

- of burnout, 109

Structural model of burnout (SMOB), 104

Subjective, Objective, Assessment, Plan (SOAP), 244

Supporting services, 23–24

- for patient experience, 256–257

Surgical critical care unit (SICU), 129–130

Surgical site infections (SSIs), 62

System-based approaches for hospitals, 6–7

- conceptual framework, 3–6
- creating health-promoting environment, 5–6
- directly reducing risks, 4
- encouraging intuitive, safety-promoting behavior, 4–5
- good practices for improving patient safety by design, 7–13
- in health care, 229
- noise reduction, 8–9
- nudging to raise compliance, 12–13
- optimizing latent conditions, supporting staff performance levels, 4
- optimizing lighting, 7–8
- reduction of interruptions, 9–11
- standardization, 11–12
- See also* Algorithm-based patient assessment approaches

Systemic inflammatory response syndrome (SIRS), 234

Systems engineering, 229, 242 approaches, 121

Systems Engineering Initiative for Patient Safety (SEIPS) model, 23–24, 38, 101, 176–177 SEIPS 2.0 model, 20–21, 22, 77

“Track and trigger” algorithms, 230, 235–236

Unit support assistants (USAs), 129–130

University Health System Consortium, 163–164

Urinary tract infections (UTIs), 38

User-centered design, 21–22, 23, 25

- User-centered health care environment, 22
- Vancomycin-resistant *Enterococcus* (VRE), 39
- Variance matrix, 176–177, 185–189
 - for case cart preparation, 190–191
 - for sterilization and case cart preparation, 187–188
- Ventilator-associated pneumonia (VAP), 38, 45
- Visibility, 80, 87
 - effective, 85–87
- Welch's two group t-test, 164
- Women's services and neonatal intensive care, 29–31
- World Health Organization (WHO), 8