INDEX

Accuracy (ACC), 100, 107-108 Active & Intelligent Packaging Industry Association (AIPIA), 166-167 Active packaging, 167-168, 170 Agri-food 4.0, 3 robotics and automation and food industry, 190-193 robotics and automation for food products, 193-195 strategies in food industry, 195-196 Agri-food chain, 2 revolution in, 2-3 Agri-food Industry 4.0, 3 Agri-food supply chain (AFSC), 17–18, 31 - 32digital technologies used in, 18-20 future of, 20-24 participants, 18 Agribusinesses, 120-121 Agricultural sector, 123, 141-142 Agriculture 4.0, 186 Agriculture product quality monitoring system, 100-106 feature extraction, 102–105 image acquisition, 102 Agritech industry, 141-142 profile and AI benefits, 146-150 profile and AI problems, 150-155 Algorithms, 34 Ammonia (NH₃), 116 Analysis of Variance (ANOVA), 145 Antimicrobial packing, 170 Antioxidant releaser/scavengers, 170 Area feature of vegetable region, 103 Artificial intelligence (AI), 18-19, 32, 34, 45, 67, 98, 190-191 AI-based agritech ecosystem, 141-142 research methodology, 145 results, 145-155 review of literature, 143-145 robotics, 19-20 Automatic irrigation system, 126 Automatic milking systems (AMS), 194

Automation, 189–190, 193 for food products, 193-195 Benzopyridines, 172–173 Bibliometrics, 4-6, 9 content analysis, 8-9 descriptive analysis, 6-8 Big Basket, 34 Big data, 98 analytics, 32, 67, 185 Biosensors, 171 Biotechnology, 67 Bitcoin. 35 Blockchain, 35, 78 network, 86-90 Blockchain technology (BCT), 18–19, 26-27, 32, 34, 66-67, 70-71, 78, 80, 184-185 Blockchain-based smart wheat supply chain model design model for, 80-95 design new supply chain parameter configuration, 83-90 implementation details, 91 literature review, 79-80 real time information write in NFC-Tag, 91–92 smart working functions of participants, 81-83 validation, 92-95 Bluetooth, 117 Bluetooth Low Energy (BLE), 114–115 Blynk, 130-131 Blynk App, 131-133 Blynk Libraries, 131 Blynk Server, 131 Carbon dioxide (CO_2), 116, 172 Carbon dioxide emitters, 168-169

CB-SEM technique, 70 Center of Excellence (CoE), 20–24 Challenges, 17–18 Chatbot, 193 Chi-square test, 145 Circular economy, 66 and environmental performance, 69 hypotheses development, 67-70 and operational performance, 68-69 organizational performance, 69-70 practices. 66 Classifier for product quality assessment, 105 - 106Climate-smart agriculture (CSA), 6, 8-9 Cloud computing, 98 in agriculture, 118-119 of wheat supply chain information, 94 Collaborative measures, 20-24 Composting, 62 Computer vision, 98–99 Computer-aided molecular design (CAMD), 196 Connectivity protocols, 117–118 Consumers, 90 reshaping environment of, 60-61 service. 193 Contour features extraction, 103–104 Cooperative Patent Classification (CPC), 5 Correspondence Analysis, 145 Cost efficiency, 26 Crofarm, 34 Crop Performance, 120 CryovacO OS2000[™], 170

Data

accumulation, 119-120 acquisition, 133 mining, 119-120 modeling, 119-120 preprocessing, 119-120 quality, 183 reduction, 119-120 security, 39 visualization capability, 183 Data envelopment analysis (DEA), 112 Deep neural network-based techniques, 99-100 Devices, 116-117 DHT11 (Temperature and Humidity Sensor), 128 Digital flow of information and money, 83-86 Digital technologies, 17-18, 35

adoption and implementation, 18 applications, 21-23 future directions for research, 26-27 industry perspective, 24-26 measures for enhancing adoption of, 20 - 24used in agri-food supply chains, 18-20 Digital twins, 18-19, 34 Discrete element method (DEM), 195 Distributor, 90, 92 Drip irrigation, 124, 126 Drones, 98 Dutch smart dairy project, 112 e-Agriculture, 34 e-NAM, 34 Ecosystem, 141-142 Edge computing in agriculture, 118-119 Edge-IoT platform, 112 Electrical conductivity (EC), 116 Elevator, 91–92 Enterprise resource planning (ERP), 20–24 Environmental Performance Index (EPI), 112 - 113Eschresian coli. 172 Ether Address (EA), 81 European Patent Office (EPO), 5 False discovery rate (FDR), 100, 107 False Negatives (FN), 106-107 False positive rate (FPR), 100, 107 False Positives (FP), 106-107 Farmer, 88-89, 91 Farmer producer organizations (FPOs), 20 - 24Feature extraction, 102–105 contour features extraction, 103-104 HSV color conversion, 102 texture information extraction, 104-105 vegetable detection, 102-103 Financial measures, 20-24 Flavor, 169 Flexibility, 184 Food and Agriculture Organization (FAO), 2, 6, 32, 54 Food and Drug Administration (FDA), 34 Food distribution, 193 Food grain supply chain, 80 Food industry, 189-190, 193

strategies in, 195-196 Food loss, 54 Food loss and waste (FLW), 53-54, 143 reduction. 56, 62, 67-68 Food manufacturing, 33-34 Food monitoring system, 19 Food packaging, 166 and storage, 192-193 Food processing, 191-192 Food procurement, 190-191 Food quality, 100-101 Food rescue, 61-62 Food supply chain (FSC), 33-34, 53-54, 78 Food supply network, 57 Food systems, 78 Food waste, 54, 56, 59 reduction. 54. 56 FoodTech, 3 Fourier-Transform Infrared Spectroscopy (FTIR Spectroscopy), 191–192 Fourth Industrial Revolution (4IR), 3, 20, 67 Freshness indicators, 172 Gas indicators, 173 Gas sensors, 172 Geographical analysis, 12 Geographical Information System (GIS), 180 - 182Global Dry Land Alliance (GDLA), 6 Global Positioning System (GPS), 180 - 182Globalization, 69 Government measures, 20-24 Grain elevator, 89 Grain processor, 89-90 Gray level cooccurrence matrix (GLCM), 104-105 Green packaging, 174–175 Green practices, 69-70 Greenhouse gas emissions (GHG emissions), 55 Grofers, 34 Harvest losses. 57

Harvest losses, 57 Harvest optimization, 56–57 Highly perishable food product, robotics and automation for, 194-195 HSV color conversion, 102 Human resource measures, 20-24 Humidity sensor, 128-129, 132-133 Hydrogen sulfide (H₂S), 172 Hyperspectral imaging, 98–99 **IBM-SPSS 21, 145** Image acquisition, 102 Image processing techniques, 99-100 Indian Agriculture, 142-143 Indicators, 172-173 Industry 4.0, 32, 36-37, 66, 179-180 hypotheses development, 67-70 implications for policy-makers, 185 key performance indicators, 182-184 literature review. 180-184 managerial implications, 184-185 research implications, 184 results, 70-72 technologies, 2-3 technologies and applications in agricultural supply chains, 180, 182 Innovation, 2-3 Integrated Development Environment (IDE). 132-133 Intelligent packaging, 167, 171, 174 International Patent Classification (IPC), 5 Internet of Things (IoT), 3, 18-19, 32, 34, 45, 67, 80, 98, 111, 124–126, 190-191 in agriculture, 113-114 applications, 118 connectivity protocols, 117-118 data accumulation, 119-120 devices and sensors, 116-117 edge computing and cloud computing in agriculture, 118-119 IoT-based wireless agro-meter weather station sensor, 112-113 literature survey, 126 predictive analytics for smart farming, 120-121 proposed system, 132-135 research methodology, 114

result, 136–137 sensor categories and measurement parameters, 117 system architecture, 115 technology, 126–132 Irrigation, 124

Jumbotail, 34 Jumper wires, 130

"Krishi-Market", 34

Leaf Area Index (LAI), 116 Life cycle assessment (LCA), 196 Limonene, 169 Low-power wide-area networking (LPWAN), 114–115

Machine vision-related technologies, 98–99 Malaysian firms, 66 Manufacturing execution systems (MES), 20–24 Material point method (MPM), 195 Mean, 104 MICMAC Analysis, 42–44 Microcontroller ATMEGA328P Arduino uno platform, 126 Mixed reality, 18–19 Modernization, 32 Modified atmospheric packaging system (MAP), 168–169 Moisture absorbers, 168

Nanotechnology, 67 Natures Basket, 34 Near-field communication (NFC), 78–79, 114–115 NEERxTechnovation in Gujarat, 19 Ninjacart, 34 Nitrogen dioxide (NO₂), 116 Node MCU ESP8266, 126–127 Nonperishable food product, robotics and automation for, 195

Odor releaser, 169 OnVu[™], 172–173 Operating System (OS), 132–133 Operational efficiency, 26 Optical oxygen sensors, 172 Optical wireless communication (OWC), 117 Optimization engine, 34 Organizational measures, 20-24 Overall equipment efficiency (OEE), 26 Oxidation-reduction potential (ORP), 116 Oxygen scavenger, 169-170 OxysorbO, 170 Packaging, 166 advancement in packaging technologies for agri-food sector, 166-175 Patent holders, analysis of, 11-12 Patentometrics. 5–6 Performance indicators, 180 PEST model of analysis, 19 Physical flow, 83 Position-based dynamics (PBD), 195 Positive predictive value (PPV), 100, 107 Precision Agriculture, 142–143 Precision farming, 120 Predictive analytics for smart farming, 120 - 121PriceWaterhouseCoopers (PwC), 20-24 Printing, 18-19 Process efficiency, 26 Processor, 92 Product demands, 98 Product distribution, 57-58 Product price, 98 Product utilization maximization, 59-60 Quality assurance, 191–192 Questel Orbit Intelligence, 5-6 Questionnaire, 24

Radio Frequency Identification (RFID), 34, 80, 114–115, 173–174 Ranking of AI benefits, 146 Ranking of AI problems, 150 Reconfigurability, 183–184 Recycle, reuse, and reduce (3Rs), 65–66 Recycling, 62 Refining product management, 58–59 Remote sensing techniques, 98–99 Research questions (RQs), 179–180 Resource optimization capability, 183 Retailer, 90, 92

Risk management capability, 183 Robotics, 67, 189-190, 193 for food products, 193-195 Robots, 98 "S3 Product Development Reference" framework. 17–18 SCARA robots, 192 Scavengers, 169-170 Science and technology (S&T), 3 Security algorithm for blocks, 91 Seed supplier, 88 Self-reactive oxygen scavenger, 169 - 170Semi-perishable food product, robotics and automation for, 195 Sensors, 116-117, 171-172 Shared peer-to-peer ledger, 35 SHOOL (sensor), 19 Simple Mean, 145 Single vision sensor, 99–100 Small-to-Medium enterprises (SMEs), 36-37 Smart agriculture, 98, 116 Smart contract, 79 Smart drones, 19-20 Smart farming, predictive analytics for, 120-121 Smart Irrigation system, 133 Smart packaging, 167-174 challenges and opportunities, 175 SmartAgriFood project, 112 Software-as-a-service (Saas), 34 Soil, 125 sensors, 116 Solidity of vegetable region, 103-104 Solution analysis, 119-120 Standard deviation, 104 Stata software, 70 Strategies, 18 Supply chain (SC). See also Agri-food supply chain (AFSC), 53-54, 189-190 visibility, 183 Supply Chain 4.0 (SC 4.0), 32 applicability, 33-35 key problems in adopting latest technology in Indian food sector for, 36–39

methodology, 40-42 survey outcomes, 44-46 variables identification and validation, Support vector machine algorithm (SVM algorithm), 100, 105-106 Sustainability capability, 183 Sustainable development, 2 Sustainable Development Goals (SDGs), Sustainable packaging, 174–175 Technological measures, 20-24 Technological output to patents worldwide, 9-12 Temporal evolution of technologies, 9-11 Texture information extraction, 104-105 Thermal imaging, 98–99 3D food printing, 38–39 printing, 18-19, 67 Time-temperature indicators, 172-173 Top management assistance, 37-38 Total dissolved solids (TDS), 116 Total Interpretive Structural Modeling approach (TISM approach), 40-42.44 Toxin identification, 171 Trigger-dependent oxygen scavenger, 169-170 True Negatives (TN), 106–107 True positive rate (TPR), 100, 107 True Positives (TP), 106-107 2 Channel 5V Relay Module, 130 Upcycled Food Association (UFA), 59 - 60US Patent and Trademark Office, 5 Value chain position and AI dimensions, 155 Vegetable detection, 102–103 VITSAB, 172–173 VOSviewer, 4–5 Water pump, 130

Water quality sensors, 116 Web of Science (WoS), 4–5 Wheat supply chain, 78 WiFi, 117 WiFi-based Long Distance network (WiLD network), 117 Wireless Sensor Network (WSN), 118 World Economic Forum (WEF), 3, 32 World Intellectual Property Organization (WIPO), 5-6

YL-69 (Soil Moisture Sensor), 128

ZigBee, 114–115, 117