

# INDEX

- Acupuncture, 8
- Adaptive capacity, 20, 23, 41
- Adaptive coping strategies, 59
- Adaptive organizational structures, 41
- Affect, 9
- Affective disorders, 25
- Afflictions, 8
- Age, 27
- Anxiety, 25, 85, 145
- Apathy, 60
- Arbolarios* (herbal doctors), 6
- Armed conflicts, 76
- Art, 9
  - therapists, 112
- Art therapy
  - articulating gaps, 114–115
  - Banglos Fisherfolks story, 113–114
  - delineating, 111
  - impact of disasters, 110
  - of risks and desynchronizations, 112–113
  - value of, 111–112
- Art-making
  - effectiveness of, 111
  - therapeutic effect, 114
- Assessment, 78
- Association of Southeast Asian Nations (ASEAN), 31, 163
- Association of Southeast Asian Nations Safe Schools Initiative (ASSI), 29, 163
- Awareness, 41
- Ayurvedic, 8
- Badan Nasional Penanggulangan Bencana (BNBP), 65
- Baksbat* (broken courage), 5, 153
- Banglos Fisherfolks story, 113–114
- Basic services and security, 76, 126–127
- Bayanihan*, 85
- Behavioral
  - capabilities, 42
  - resiliency, 42
  - skills, 20
- Beliefs, 9, 19, 60
- Breath-focused awareness exercises, 85
- British Broadcasting Corporation (BBC), 45
- Buddhism, 8
- Burnout, 121
- Business continuity plan (BCP), 44
- Business-as-usual or doom and gloom psychology, 144
- Cambodia, 4–5, 8, 26, 29, 95, 118, 121, 147–148, 152–154, 163
- Cambodian trauma survivors, 153–154
- Capability-building initiatives, 89
- Capacity (*kakayanan*), 113
- Caregivers Journey of Hope, 103
- Cause–effect relationship, 114
- Centre for Research on the Epidemiology of Disasters (EM-DAT), 118
- Challenges in MHPSS, 134–136
- Changes in Outlook
  - Questionnaire, 152

- Child Centered Climate Change  
Adaptation program  
(4CA program), 31–32, 164
- Chinese traditional medicine, 8
- Christianity, 8
- Classroom-based education, 19
- Climate change, 75–76
- Cognitions, 4, 8, 55, 60, 63,  
65–68, 136
- Cognitive behavioral therapy (CBT),  
132–134
- Cognitive capability, 42
- Cognitive resilience, 42
- Cognitive skills, 22
- Cohesion, 59–60
- Collaborative services,  
linkage with, 78
- Collective resilience, 167–168
- Collectivism in SEA, 7
- Collectivistic cultures, 153
- Community  
community-based institutions, 112  
community-oriented culture, 112  
and family support, 76, 127–128  
social networks, 167
- Compassion, 9
- Compassion fatigue (CF), 121
- Confidentiality, 112
- Conservation of resources stress  
theory (COR), 151
- Contact and engagement, 78  
initiation, 129
- Contextual relationships, 42
- Contreras, Rey Paz, 113
- Coordination, 87, 135–136
- Coping, provision of information on,  
131
- Coping information, 78
- Council for disaster-related trauma,  
104
- Creative arts, 111
- Creative educational materials, 163
- Cultural/culture, 4, 60, 83, 135  
adaptations of PFA, 83  
affect, 9  
competence strategies, 150
- Culturally adapted interventions,  
164–165
- Cyclones, 54
- Department of Health (DOH),  
61–62, 90
- Department of Social Welfare and  
Development, 61
- Depression, 145, 148–149
- Dinadala* (burden), 84
- Direct effect of social support, 124
- Disaster management (DM), 55–56
- Disaster mental health (DMH),  
4, 55, 76  
conceptual linkages of DRRM  
and, 56–58  
perspectives model, 57
- Disaster Ready Initiative*, 30, 166
- Disaster Rehabilitation and  
Recovery theme, 61–62
- Disaster responders  
basic services and security,  
126–127  
challenges in MHPSS  
provision in Southeast Asia,  
134–136  
community and family supports,  
127–128  
developing capacities of  
and caring for, 165–167  
disaster stressors, 119–120  
factors associated with post-  
disaster psychological  
outcomes, 123–125  
focused, non-specialized supports,  
128–133  
implications for Southeast Asia,  
125–126  
linking with services, 131  
MHPSS intervention, 126  
psychological consequences of  
disaster response, 120–122  
in Southeast Asia, 118–119  
specialized services, 133–134
- Disaster risk management (DRM),  
55–58

- Disaster risk reduction (DRR), 55–56
  - courses, 29
  - implications and policy lessons for, 31–32
  - and mitigation, 18
  - trainings, 27
- Disaster risk reduction and management (DRRM), 5, 54, 167
  - case studies in Southeast Asia, 61–65
  - conceptual linkages of DMH and, 56–58
  - framework, 55
  - strategies by DRRM contributing to mental health resistance, 58–61
- Disaster vulnerabilities, 4
  - conceptual relationship between education and, 21
  - education effects, 23–25
  - theoretical framework, 21–23
- Disasters, 41, 54, 110, 118
  - apps, 20
  - communication, 162–163
  - deployment, 122
  - disaster-affected population, 119
  - education, 20, 163
  - and emergencies in Philippines, 46–48
  - exposure, 76–77, 99, 119–121, 125, 127, 133
  - mindfulness in disaster settings, 102
  - mindfulness interventions for, 103
  - preparedness, 64
  - prevention and mitigation, 162
  - relief workers, 122
  - resilience education, 20
  - response organizations, 128
  - risk, 125
  - stressors, 119–120
  - survivors, 86
  - work, 122
  - workers, 120
- Disposition and follow-up, 79
- Distress, 101
  - tolerance, 99–101
- Documentary, 163
- Drills, 162–163
- E-learning methodologies, 30
- Earthquakes, 54, 75
- Education, 18–19
  - best practice examples, 29–31
  - central concepts and terminology, 19–21
  - conceptual relationship between disaster vulnerability and, 21
  - in disaster risk reduction and mitigation, 18
  - effects on disaster vulnerability, 23–25
  - in SEA, 25–29
  - theoretical framework, 21–23
- Educational inequality, 26–27, 168
- Emotional support, 127
- Emotional-regulation, 42
- Empowerment, 7, 67, 113
- Environmental hazards, 41
- Environmental risks, 39
- Evidence-based modalities, 134
- Evidence-based tools and interventions, 164–165
- Experiencing disasters, 119
- Explicit knowledge, 20
- Expression, 9
- Expressive arts, 111
- Eye movement desensitization and reprocessing (EMDR), 133–134
- Family in SEA, 6
- Filipinos, 8–9
- Focused, non-specialized supports, 76, 128–133
- Formal education, 18, 21
  - measures, 32
  - or learning, 19
  - system and institutions, 25
- Formal learning pathways, 29

- Formal mindfulness practice, 100  
 Frontline health workers, 122  
 Functional literacy, 22
- Games, 163  
 Gender, 10–11, 27  
 Global Disaster Preparedness Centre (GDPC), 30  
 Government agency, 90  
 Government destabilization, 76  
 Grounding techniques, 129  
 Group therapy's effectiveness, 114  
 Group-based interventions, 7  
 Group-based PFA, 85–86  
 Growth curve analyses, 132
- Habits, 19  
 Haiyan typhoon, 110  
 Hardiness, 60–61, 123  
 Hazards, 41  
 Health Cluster, 62  
 Health Law number 36/2009, 162  
 Herbal medicine, 8  
 Hinduism, 8  
 Households, 24–25  
   preparedness measures, 18–19  
 Human development, 168–169  
 Human resources, 135  
 Human-induced hazards, 76  
 Hydro-meteorological events, 109
- Improvisation theater, 31, 163  
 Inclusiveness, 32  
 Indian Ocean Tsunami (2004), 18, 43–44, 98, 151  
 Indonesia, DRRM in, 64–65  
 Informal education, 18–21, 30–31  
   interventions, 31  
   measures, 32  
 Informal interventions, 30  
 Information, 19  
   gathering, 78, 130  
 Inner Resources for Stress, 132, 166–167  
 Institutionalized disaster education, 163–164  
 Integrated Code Alert System, 62
- Inter-agency Standing Committee on Mental Health and Psychosocial Support in Emergency (IASC-MHPSS), 58  
 Interagency Standing Committee (IASC), 7–8, 76–77, 126, 164  
 Intergovernmental Panel on Climate Change (IPCC), 20  
 Internalized knowledge forms, 20  
 International Federation of Red Cross (IFRC), 110  
 International psychology, 145  
 International Strategy on Disaster Reduction (ISDR), 55  
 International studies, 153  
 Internationalization, 144  
 Intervention, 79  
 iPrepare Business survey (2017), 46  
 Islam, 8
- John Hopkins Resistance–Resilience–Recovery Model, 42, 46, 48  
 Johns Hopkins Perspectives Model of Disaster Mental Health, 55  
 Johns Hopkins RAPID-PFA Model, 78–79
- Kalooban* module, 132  
*Kalutasan at Kaagapay* module, 132  
*Kapaki-pakinabang na Gawain* module, 132  
 Karma, 154  
*Katatagan* (resiliency), 90, 132, 165  
*Katawan* module, 132  
*Kinabukasan* module, 132  
 Knowledge (*kaalaman*), 113  
   dissemination, 19  
   sharing among communities, 89–90  
*Kru Khmer* (herbalists), 6  
*Kyol goeu* (wind overload), 153
- Learning, 28  
   of knowledge, 19  
 “Letting go exercise”, 85, 104  
 Link action principle, 79

- Listen action principle, 79
- Listen Protect Connect-Psychological first aid (LPC-PFA), 82
- Literacy skills, 22
- Look action principle, 79
  
- Magnetic healing, 6
- Manghihilots*, 6
- Marginalization, 26
- Masculinity, 10–11
- Meditation, 8
  - techniques, 84
- Medium-to long-term interventions, 132
- Mental health, 54, 64
  - policies and programs, 5
  - professionals, 5–6, 88–89
  - service providers, 121–122
- Mental Health Act, 162
- Mental health and psychosocial support services (MHPSS), 4, 62, 121, 162
  - challenges in MHPSS provision in Southeast Asia, 134–136
  - cultural factors influencing delivery in SEA, 7–8
  - intervention, 126
  - layer, 128–129, 133
- Mental Health Law, 162
- Mental Health Operations Center, 150
- Mental trauma, 54
- Mindfulness, 84–85
- Mindfulness interventions, 96, 100–101
  - in disaster settings, 102
  - for disasters, 103
  - postdisaster stress responses, 96
  - preventing progression of postdisaster effects, 99–100
  - progression to psychopathological disorders, 97
  - rationale for mindfulness for postdisaster stress responses, 101–102
  - in SEA, 104–105
  - secondary consequences of postdisaster stress, 98–99
  - stress responses, 96–97
  - trait mindfulness and disasters, 102–103
- Ministry for Health and Sports, 162
- Mount Merapi volcanic eruption, 5, 152
- Myanmar, DRRM in, 64
  
- Nagdadala*, 84
- Narrative exposure therapy (NET), 133–134
- National Disaster Response Plan for Hydro-meteorological Hazards (NDRRMC), 62–63
- National Emergency Behavior Management System (NEBMS), 87–88
- National Health Act (2007), 162
- Natural hazards, 18, 109
- Negative thinking, 99
- Net-enrollment rates (NER), 25–26
- Non-formal education, 18–19, 21, 163
  - initiatives, 25
  - interventions, 30
- Non-governmental organizations (NGOs), 6, 87, 149
- Non-traditional responders, 119, 123
  
- One Heart ExPress, 111
- Open-space activity, 86
- Optimism, 123
- Organizational resilience, 39, 41–43
  - disasters and emergencies in Philippines, 46–48
  - Indian Ocean tsunami (2004), 43–44
  - risks, 40, 43
  - Thailand floods (2011), 44–46
  - Vietnam's typhoons, 44
  - vulnerabilities, 40, 43
- Organizational systems, 41
- Organizations, 128, 168
  
- Pag-asa* (hope), 84
- Pagdadaan* (path), 84

- Pagdadala* model, 84
- Particular posttraumatic growth (PTG), 145, 152–154
- Patience, 9, 152
- Patutunguhan* (direction), 84
- Personal stress event, 81
- Perspectives model of DMH, 57
- Philippines
  - challenges in implementing PFA in, 86–87
  - disasters and emergencies in, 46–48
  - DRRM in, 61–64
- Phuket Life Access Tracking (PLATR), 111
- Pocket Emergency Tool (PET), 62
- Pol Pot regime, 154
- Policy
  - implications, 18–32
  - makers, 32
- Positive cognition, 60
- Positive psychology, 132, 145
- Post-disaster psychological outcomes, 123–125
- Post-test measures, 104
- Post-Typhoon Haiyan study, 4
- Postdisaster interventions, 7
- Postdisaster stress
  - preventing progression, 99–100
  - rationale for mindfulness for postdisaster stress responses, 101–102
  - responses, 96
  - secondary consequences, 98–99
- Posttraumatic growth (PTG), 9, 114
- Posttraumatic Growth Inventory, 152
- Posttraumatic stress, 25
- Posttraumatic stress disorder (PTSD), 5, 59, 76, 97, 110, 121, 145, 148–149
  - symptoms, 85
- Poverty, 26
  - alleviation, 168–169
- Power distance, 9–10
- Practical assistance, 78
  - provision, 130
- Prayer, 9
- Pre-test measures, 104
- Preparedness, 162–163
- Pressure cooker effect, 130
- Primary survivors, 119
- Prioritization, 78–79
- Privacy, 112
- Problem Management Plus, 164
- Protective factors, 4, 7, 58, 124, 166
- Psychological first aid (PFA), 59, 77–78, 104, 128–129, 164
  - application in Southeast Asia, 87–88
  - challenges in implementing PFA in Philippines, 86–87
  - conduct research about local adaptations of, 89
  - cultural adaptations, 83
  - evidence for PFA's effectiveness, 81–82
  - facilitators, 85–86
  - group-based PFA, 85–86
  - implications and recommendations, 88–90
  - increasing capability-building initiatives, 89
  - initiating knowledge sharing among communities, 89–90
  - institutionalizing PFA activities, 90
  - mindfulness, 84–85
  - open-space activity, 86
  - pagdadala* model, 84
  - promoting and strengthening resilience interventions, 90
  - providers, 86
  - RAPID-PFA model, 78–79
  - in Southeast Asia, 82–83
  - strengthening PFA evaluation, 88–89
  - terminating PFA intervention, 80–81
  - WHO PFA model, 79–80
- Psychological immunization, 57
- Psychological intervention, 129, 136
- Psychological safety, 42
- Psychology, 144

- Psychopathological disorders,  
    progression to, 97
- Psychopharmacology, 133
- Psychosocial support, 54, 64, 76
- Puppetry, 163
- Qigong, 8
- Quasi-experimental pilot study, 82
- Randomized controlled trial  
    (RCT), 81
- RAPID-PFA model (Hopkins), 78–79
- Rapport and reflective listening, 78
- Recovery, 57, 149
- Relaxation techniques, 59
- Religion, 8, 123, 152
- Religiosity, social axiom of, 152
- Research-related issues, 136
- Resilience, 21, 40, 57–58, 145, 152–154  
    across cultures, 152  
    interventions, 90
- Response organizations, 126–127
- Reverse buffering effect, 124
- Risks, 40, 43  
    reduction in Southeast Asia, 25–29
- Royal University of Phnom Penh  
    (RUPP), 148
- Rumination, 99
- Safe Schools Initiative, 29, 31–32
- Safety and comfort, 78  
    establishment, 129
- “Sai Fah: The Flood Fighter” (mobile  
    game application), 164
- Schooling, 22
- Secondary survivors, 119
- Secondary traumatic stress (STS), 121
- Seismic activities, 109
- Self-care, 133
- Self-efficacy, 60–61, 85, 123, 126
- Self-regulation, 100
- Sendai Framework for Disaster  
    Risk Reduction (SFDRR),  
    18, 54–55
- Sensitivity, 23
- Shame in SEA, 6
- Short videos, 163
- Situation analysis, 25–29
- Situational awareness, 41, 44
- Skills/competencies, 19
- Small and medium enterprises  
    (SMEs), 43
- Social capital, 23
- Social learning, 163
- Social media, 20
- Social networks for recovery, 24
- Social support, 59–60, 124, 127  
    connection with, 78  
    dynamics, 124–125  
    effectiveness hypothesis, 124
- Socioeconomic inequalities, 20
- Solastalgia*, 5
- Southeast Asia (SEA), 4, 75, 95,  
    145, 162  
    affect and expression, 9  
    application of PFA in, 87–88  
    case studies in, 61–65  
    challenges in MHPSS provision in,  
    134–136  
    collectivism, 7  
    cultural factors  
        influencing delivery of  
        MHPSS in, 7–8  
    disaster responders in, 118–119  
    education and risk reduction in,  
    25–29  
    examples from Southeast Asian  
    work organizations, 43  
    family, 6  
    gender and masculinity, 10–11  
    implications for, 125–126  
    mental health professionals, 5–6  
    mindfulness interventions in,  
    104–105  
    PFA in, 82–83  
    power distance, 9–10  
    psychological impact of disasters  
    in, 4–5  
    risk and protective factors in, 4  
    spirituality, 8–9  
    stigma and shame, 6
- Specialized services, 76, 133–134

- Spirituality, 8–9, 123  
 in PTG, 151–152  
 in SEA, 167
- Stabilization, 78, 129
- Stigma in SEA, 6
- Strengths (*kalakasan*), 84, 132
- Strengths-based approach, 146
- Stress  
 resistance, 58–59  
 responses, 96–97  
 stress reactions, provision of  
 information on, 131  
 stress-buffer effect of social  
 support, 124  
 stress-buffering model, 124
- Stress-Related Growth Scale, 152
- Super Typhoon Haiyan, 132
- Support (*katulong*), 84
- Survivors, 9
- Susceptibility, 20, 23, 126
- Tacit knowledge, 20
- Taiwan earthquake (1999), 99
- Temporary shelters, 87
- Tertiary survivors, 119–120
- Thailand  
 DRRM in, 64  
 floods, 44–46
- Thailand National Disaster Risk  
 Management Plan, 64, 162
- Theater activities, 9
- Traditional responders, 118–119
- Training workshop of mindfulness,  
 104
- Trait mindfulness and disasters,  
 102–103
- Trauma, 4–5, 7, 110, 145  
 sources, 147–152  
 trauma-related symptoms, 96
- Tropical cyclones, 75
- Tsunami (2004), 5
- Typhoons, 54, 109  
 Haiyan in Philippines (2013), 18  
 Haiyan typhoon, 110  
 Vietnam's typhoons, 44  
 Washi, 112
- United Nations (UN), 18
- United Nations Educational, Scientific  
 and Cultural Organization  
 (UNESCO), 22
- United Nations General Assembly  
 (UNGA), 56
- United Nations International Strategy  
 for Disaster Reduction  
 (UNISDR), 4, 40, 76
- United Nations Office for Disaster  
 Risk Reduction, 18
- Unprecedented systemic stressors, 149
- Urbanization, 169
- Values, 19, 60
- Vicarious traumatization (VT), 121
- Vietnam's typhoons, 44
- Volcanic eruptions, 54
- Vulnerabilities, 40, 43  
 to environmental hazards, 20
- Webinar-based coaching, 30
- Wenchuan earthquake (2008), 97
- Western Digital (WD), 45
- Work organizations, 41, 43
- World Health Organization (WHO),  
 54, 78  
 PFA model, 79–80
- Yolanda (*see* Haiyan typhoon)
- Youth Resilience and Culture:  
 Commonalities and  
 Complexities*, 145