

# INDEX

- Acculturation, 243
- Affective involvement, 186, 191
- Age, 212
- American Recovery and Reinvestment Act, 94
- American Sign Language (ASL)
  - accessible health websites, 72
  - accessible websites, 72
  - health library website, 72
  - health videos, 72, 74
  - video content, 72
  - videos, 77
- AMOS graphics program, 215
- Analysis of variance (ANOVA), 214, 218
- ASL. *See* American Sign Language (ASL)
- Baby boomer generation, 210
- Background characteristics, 162–163
- Bivariate analysis, 163–166, 169
- Bivariate associations, 216
- Cancer patient's psychological adjustment, 182–184
- Cancer-specific self-efficacy, 186, 191
- Capital enhancers, 157
- CFI. *See* Comparative fit index (CFI)
- China, 243
- Chinese immigrant population, 245
- Chinese language Quitline, 255
- Chinese male immigrants, 243, 247, 258, 260
- Chinese women, 243
- Chi-square significance test, 215
- Codebook, 273
- Cognitive involvement, 186, 191
- Collectivism, 258
- Communicational competence, 210, 231, 232
- Communication technology
  - blurring and acceleration through managing patient care, 106–110
  - managing work and life, 104–106
  - temporal capital and power dynamics, 113–116
  - learning the technology, 110–113
- Comparative fit index (CFI), 215
- Computer Assisted Telephone Interviewing software, 160
- Credibility defined, 47
- Conceptual model, 209
- Content evaluation, 168
- Content-related skills, 156
- Control variables, 190
- Coping advice, 180
- Coping mechanisms, 279
- Credibility-assessment process, 14
- Credibility-assessment search results
  - vs.* Sites
  - research questions, 16–17
  - user savvy in, 16
- Credibility-assessment strategies, 11, 21, 24–27
- Cronbach's alpha, 188, 189, 213, 214
- Cross-sectional survey, 160

- Data analysis, 163, 250
- Deaf adults, health-related information
- ASL, 74–75
    - analytic strategy, 77
    - cultural and linguistic translation, 75–76
    - study procedures, 76–77
  - experience section, 75
  - making decisions, 74
  - outcome
    - finding and trusting, 81
    - internet, first source, 79–80
    - social media, 81–86
    - sociodemographic characteristics, 77–79
    - study purpose, 73–74
- Deaf Experience, videos, 75
- Demographic covariates, 212
- Demographic variables, 50, 162–163, 191
- Depression, 95
- Dichotomous variable, 53
- Digital divide, 155
- Digital information, 47
- Digital online channels, 49, 53, 57, 62–63
- DISCERN instrument, 48
- Drinking, 290
- Educational level, 212
- Efficacy messages, 254–256
- eHealth, 1, 155, 156, 158, 169, 171
- eHealth activities, 77
- eHealth technologies, 48
- Electronic medical records (EMRs), 2, 94, 103, 157
- Emotional stability, 179, 185, 193
- Empowerment approach, 210
- EMRs. *See* Electronic medical records (EMRs)
- EPPM. *See* Extended parallel process model (EPPM)
- Events, 289
- Experiential credibility, 48
- Extended parallel process model (EPPM), 245–247, 257, 259
- Facebook, 87
- Face-to-face meetings, 274
- Face-to-face peer-support groups, 181
- First digital divide, 155
- Focus group study design, 247
- Goodness-of-fit indices, 227
- Google, 15
- Health 2.0, 48
- Health benefits, 168
- Healthcare services use, 162
- Health communication, 231
- Health credibility evaluations, 22
- Health information, source, 74
- Health information channels, 49, 53, 57, 62
- Health Information National Trends Survey (HINTS), 44, 49, 52, 60, 72, 74
  - iterations of, 52–53, 64
- Health information online, 289
- Health Insurance Portability and Accountability Act (HIPAA), 98
- Health knowledge, 231
- Health websites, 74
- Hierarchical linear analyses, 168
- HINTS. *See* Health Information National Trends Survey (HINTS)

- HINTS-ASL, 75, 88  
HINTS-ASL translation team, 75  
HIPAA. *See* Health Insurance Portability and Accountability Act (HIPAA)
- Ideal online cancer support  
    community, 196–197
- Income, 212
- Individualism, 258
- Information seeking process, 15, 17, 18, 23, 30, 35
- Internet, 1, 15, 47, 50, 71, 74, 207, 211, 235
- Internet activities dimensions, 156–159
- Internet use, 155, 156, 158, 160, 168, 169, 211, 231  
    benefits, 162  
    dimensions of, 168  
    frequency of, 160  
    perceived health outcomes of, 162  
    and potential health benefits, 163–167
- Interpersonal sources, 49, 53, 57, 62
- Intervention tools  
    moderator, 278–279  
    privacy issues, 277–278  
    useful information, 279
- Intervention tools, 277–279
- Interview script development, 271
- Interviews procedure, 272–273
- Knowledge gap hypothesis, 156
- Knowledge Networks (KN), 210–211
- Lesbian, Gay, and Bisexual (LGB )  
    young adults, 265–282  
    smoking cessation, 268–271
- Lesbian, Gay, Bisexual, and Transgender (LGBT )  
    individuals, 266  
    groups and, 291  
    specific issues, 291
- Less savvy approaches, 23
- Linear regression analyses, 228
- Managing patient care, 106–110
- Marital status, 212
- Mass media, 49, 53, 57, 62, 63
- Master Settlement Agreement, 267
- Mediation models, 215
- Message development, 248–249
- Message presentation, 248–249
- Message ratings and reactions, 250–251
- mHealth interventions, 243, 244, 257
- MMS. *See* Multimedia messaging service (MMS)
- Mobile-based smoking cessation interventions, 243–245
- Moderator, 278–279
- Mood Adjective Check List, 191
- Multimedia messaging service (MMS), 244, 245, 247, 260
- Multivariable Logistic Regression Models, 82–85
- Multivariate analyses, 166–167
- National Coordinator for Health Information Technology, 95
- National Institutes of Health (NIH), 71
- Negative emotions, 182, 185
- NFI. *See* Normed fit index (NFI)
- Nicotine replacement therapy, 268
- NIH. *See* National Institutes of Health (NIH)
- Normed fit index (NFI), 215

- Offline sources, 47
- OLS. *See* Ordinary least squares (OLS)
- Online content evaluation, 161
- Online credibility assessment, 13–15
- Online credibility information
  - assessment online, 13–15
  - limitations and directions for search, 35
  - methods
    - coding and analysis, 20–23
    - data, 20
    - sample descriptive, 18–20
    - study procedure, 17–18
  - role of search engine, 23–24
  - search results *vs.* Sites, 16–17, 29–30
  - strategies
    - SERP Evaluation, 30–32
    - website evaluations, 32–34
  - strategies for SERP
    - brand credibility, 24–25
    - name of site, 25–27
    - prior site experience, 27
    - search rank, 27
  - strategies for websites
    - appearance, 28
    - author credibility, 29
    - brand credibility, 28
    - user-generated content, 28
- Online health information seeking,
  - 212–213, 216, 231
  - limitations and research, 232–234
- Online involvement, 186–187, 190–191
- Online participation, 188
- Online support communities, 179
  - context, 180–182
  - patients participation, 182–184
  - study limitations and recommendations, 197–198
- Online survey, 211
- Openness to experience, 185–186, 188
  - defined, 179
- Ordinary least squares (OLS), 191, 192
- Pagers, 103
- Participant characteristics, 163, 272
- Patient empowerment, 231
- Patients' psychological adjustment, 179
- Pearson Correlation Coefficients, 219, 220
- Perceived communicational competence, 213, 214
- Perceived personal susceptibility, 259
- Perceived severity, 253–254
- Perceived susceptibility, 252–253
- Perception of empowerment, 229
- Personal cell phones, 103
- Personality, role, 194–196
- Personality traits, 179, 180, 188
  - as moderators, 184–187
- Positive health perception indicators
  - path decompositions, 225, 226
  - regression models, 223, 224
- Positive health perceptions, 213–214
- Positive psychology, 182
- Privacy issues, 277–278
- Psychological adjustment, 190
- Public health implications, 282
- Qualitative analysis, 273
- Qualitative analysis, EPPM, 251–254
- Quit smoking, 292
- Race/ethnicity, 212
- Recruitment, 271–272
- Recruitment of participants, 247–248
- Regression analyses, 166, 218, 229
- Remote monitoring, patients, 2

- Research objectives, 271
- Response efficacy, 255–257
- Root mean squared error of
  - approximation (RMSEA), 215
- SAS 9.3, 53
- Savvy approaches, 23
- Search engine results' pages (SERP), 11
- Search engines, 15, 16, 17, 30, 35, 36
- Search process, 23, 33
- Search results, by level of savvy, 25
- Second digital divide, 155
- Self-efficacy, 186, 254–255, 257
- Self-esteem, 182
- Self-rated health (SRH), 159, 160, 162, 164, 166, 169
- Sense of competence, 229
- SERP. *See* Search engine results' pages (SERP)
- Sexual identity, 270
- Sexual orientation, 273, 275, 276, 280
- Smoking cessation, 268–271
  - norms for, 269–270
- Smoking cessation, 268–271
  - limitations and research, 281–282
- SMS (short-message service)
  - messages, 244, 245
- SNSs, 74
- Social and/or institutional power, 104
- Social cognitive theory, 245
- Social consequences, 277
- Social inequality, 155
- Social media, 74, 269, 288
- Social Network Sites (SNSs), 73, 161
- Social support, 269, 273, 274–275
- Sociodemographic characteristics, 78
- Socioeconomic covariates, 212
- SPSS 24.0, 77
- SRH. *See* Self-rated health (SRH)
- Stratification hypothesis, 155
- Structural equation modeling, 214
- Study procedures, 249–250
- SUDAAN 11.0, 53
- Surface credibility, 13
- Survey instrument, 187
- Survey participants, 159–160
- Temporal autonomy, 98
- Temporal capital, 95
- Text2Quit program messages, 245
- Text-message intervention,
  - receptivity, 256, 257
- Text to Quit China, 244
- Third digital divide, 156, 170, 171
- Tobacco control movement, 279
- Trust, defining, 46–47
- Trust in health information
  - communication landscape, 48–49
  - defining, 46–48
  - demographic variables, 50
  - digital online channels, 49, 53, 57, 62–63
  - education, 50
  - government health agencies, 50
  - Health 2.0, 48
  - HINTS, 49
  - information sources, 49–51
  - Internet, 50
  - interpersonal sources, 49, 53, 57, 62
  - iterations of HINTS, 52–53
  - mass media, 49, 53, 57, 62
  - physicians, 49, 60, 62
  - predictors of, 57–60
  - sociodemographic characteristics, 53
  - sociodemographic factors, 50–51, 56
  - sources and channels, 55, 58–59

- tracking changes in levels of, 54–56
- trends in levels of, 54
- user-generated content, 48–49
- Twitter, 49
- Usage gap, 156
- U.S. Postal Service Delivery Sequence File, 211
- Variance inflation factor (VIF), 228
- Visual language, 71
- “Weak-tie” relationships, 182
- Web 1.0 consumption, 158
  - Web 1.0 consumption activities, 160
  - Web 1.0 health-related activities, 171
  - Web 1.0 health-related consumption activities, 161
  - Web 2.0, 46, 48–49, 157, 158, 168
  - Web 2.0 health-related production activities, 161
  - Web 2.0 production activities, 161
  - Websites Evaluation, by level of savvy, 26
  - WeChat, 256
  - Work–life balance, 95, 99–102
  - World Health Organization, 243
- YouTube, 49, 74